Author Index

A

Abecasis P, 725
Achber C, 211
Adams DF, 11
Aguas AP, 725
Alderman MH, 192, 629
Alexander N, 704, 710
Angelakos ET, 521
Aoi W, 126
Atkinson AB, 53
Atlas SA, 507
Auböck J, 373
Aurell M, 318
Ayers CR, 615

B

Baer PG, 257
Barbella YR, 448
Barker GF, 496
Barret-Connor E, 557
Bell PD, 285
Berglund G, 318
Bernard DB, 294
Bhalla RC, 586
Blumenthal S, 46
Bobik A, 149
Bohr DF, 93
Bonting SL, 641
Boucher R, 81
Bourque M, 347
Bravo EL, 4, 300, 327, 333
Brecher P, 198
Brock TA, 471
Brosnihan KB, 233
Brown JJ, 53
Brücke T, 373
Brunner HR, 269, 294, 441
Bumpus FM, 4, 300
Buñag RD, 426, 433
Buu NT, 347
Byers LW, 460

C

Cagen LM, 257
Campbell GR, 534
Campbell WB, 23
Campbell WP, 211
Carey RM, 615
Carretero OA, 18, 34, 205
Case DB, 507
Chaignon M, 327, 333
Chamley-Campbell J, 534
Chang J-J, 509
Chen P, 601
Chen W-T, 327, 333
Chobanian AV, 198
Clarke WR, 669
Clough D, 676
Coghlan JP, 730
Cohn JN, 262
Coleman TG, 119
Conway J, 676
Cowley AW Jr, 416
Cox RH, 485
Crantz FR, 168, 277
Criqui MH, 557
Crofton JT, 410
Cubeddu LX, 448
Cutilletta AF, 664
Cutilletta MA, 664

D

Davies DL, 53
Davila J, 448
de Lano F, 601
De Mey C, 718
De Pont JJHHM, 641
Dees C, 574
Dent AC, 119
Devynck M-A, 397, 516
Diana JN, 471
DiBona GF, 134
Dluhy RG, 168, 277
Doi Y, 126
Dollery CT, 113
Dominguez J, 448
Donker AJM, 507
Dustan HP, 1

E

Ehrhart LA, 479
Elmer PJ, 698, 738
Esler M, 149

F

Falkner B, 521
Faulkner K, 676
Fei DTW, 730
Fernandez-Cruz A Jr, 87
Ferrario CM, 233, 313, 479
Fischer J, 596
Fitzgerald GA, 113
Fleming BP, 471
Franciosa JA, 262
Francisco LL, 134
Frigon RP, 139
Frisk-Holmberg M, 340
Frohlich ED, 104, 245, 362
Fujimi S, 456

G

Ganten D, 528
Gavras H, 269, 294, 441
Gavras I, 441
Genest J, 81, 347
Gibbs PS, 650
Gillum RF, 698, 738
Gimenez HJ, 262
Glück Z, 367
Goldman P, 219
Goldstein DS, 48, 551
Gonda S, 157
Grimm M, 367
Gutgesell M, 39
Gutkowska J, 81
Guyton AC, 416

H

Hageman GR, 240
Hamet P, 347
Hartford M, 318
Hashiba K, 126
Hatton R, 676
Haynes RB, 211
Heiss G, 557
Henry DP, 650
Hermsmeyer K, 534
Hirakata H, 456
Hollenberg NK, 11, 168, 277
Hollis JB, 87
Hoorntje SJ, 507
Hörtnagl H, 373
Horton R, 622
Hossmann V, 113
Huang W-C, 67, 285
Hubbard JW, 496
Hull D, 596

I

Idelson B, 294
Ikeda M, 81
Inagami T, 509
Iseki K, 456
Ishise S, 362
Iwai J, 219

J

Jackman G, 149
Jackson EK, 23
James TN, 240
Jennings G, 149
Johnston CI, 516
Jones AW, 631

K

Katholi RE, 404, 615
Kawahara Y, 456
Kawamura H, 362
Kelleher D, 149
Kershaw GR, 441
Keusch G, 367
Khayat A, 157
Kidd L, 664
Kisaragi M, 509
Kitamura Y, 362
Kline RL, 682
Kobayashi M, 456
Koletsky RJ, 168
Kondo K, 566
Korner P, 149
Kovalcheck S, 601
Krasney J, 59
Ku DD, 306
Kuchel O, 347
Kushner H, 521

L

Labarthe D, 39
Laragh JH, 507
Larochelle P, 347
Lassman MN, 87
Lauer RM, 46, 669
Lawler JE, 496
Leboff MS, 168
Leckie B, 53
Ledingham JM, 182, 188
Leonard P, 149
Lever AF, 53
Levine L, 168
Liang C-S, 441
Limas C, 219
Limas CJ, 219
Lin M-S, 580
Ljungman S, 318
Logan AG, 211
Lohmeier TE, 416
Ludden TM, 580
Luft FC, 650

M

Madhavan S, 192, 629
Maitra SR, 205
Majack RA, 586
Manning RD Jr, 416
Mariano V, 725
Mark AL, 174
Martin K, 622

Matsuguchi H, 174
McAfoose D, 596
McNay JL, 580
Meier A, 367
Mercer PF, 682
Meyer P, 397, 516
Michael LH, 356
Milne BJ, 211
Minder I, 367
Mishkel M, 557
Mitas JA II, 139
Miyazaki S, 18, 205
Mookerjee B, 59
Moore TJ, 168, 277
Morris MJ, 516
Morton CL, 615
Morton JJ, 53
Muirhead EE, 460
Mulrow PJ, 87
Mulvany MJ, 691
Musgrave GE, 580

N

Nakamoto S, 327, 333
Navar LG, 67, 285
Neill CA, 664
Newman B, 704, 710
Nilsson H, 691
Nogueira da Costa J, 725
Nomenclature Committee on Hypertensive Rat Strains of the International Society of Hypertension, 506
Norman RA Jr, 119
Noth RH, 87
Nunez A-M, 397

O

O'Connor DT, 139
Ogilvie RI, 225
Okamoto H, 509
Omae T, 456
Onesti G, 521
Onoyama K, 456
Oparil S, 1, 404
Ordaz P, 448
Overbeck HW, 1, 306

P

Pang CCY, 657
Parfrey PS, 182, 188
Patel KP, 682
Pegram BL, 245, 362
Pernollet M-G, 397
Peterknecht S, 574
Ploth DW, 67, 285
Podolsky S, 168
Polk BF, 629
Preston RA, 139
Prewitt RL Jr, 460
Prineas RJ, 698, 738

R

Rabito SF, 34
Rankin LI, 650
Rapp JP, 306
Rho JH, 704, 710
Rho JH, 704
Robertson JIS, 53
Robinson RB, 534
Rockhold RW, 410
Roy RN, 67
Ruddy MC, 277

S

Saito I, 300
Saragoca M, 380
Saruta T, 566
Sawin LL, 134
Schaub RG, 496
Schieken RM, 669
Schmid PG, 174
Scicli AG, 18, 34, 205
Scoggins BA, 730
Sealey JE, 507
Seidel CL, 356
Sen S, 4, 157, 300
Seto S, 126
Shainoff JR, 4
Share L, 410
Shepherd AMM, 580
Short N, 534
Simon G, 262
Sinaiko A, 738
Skews H, 149
Skrabal F, 373
Smeby RR, 157
Smith KA, 460
Smith MJ Jr, 416
Sowers JR, 544
Sreenivasan V, 59
Stekhoven FMAHS, 641
Stock G, 528
Stone RA, 139
Stumpf H, 528
Suarez DH, 245
Subcommittee of the AHA Postgraduate Education Committee, 509A
Sutter MC, 657
Suzuki K, 566
Suzuki S, 126
Swarts HGP, 641
Swartz SL, 168, 277
Swatzell RH Jr, 240
Szilagyi JE, 233, 313

T

Takahashi H, 426, 433
Tarazi RC, 327, 333, 380
Taylor JO, 629
Tercyak A, 109
Terrell G, 39
Textor SC, 269, 294, 441
Thibault G, 81
Thien TA, 641
Tifft CP, 294, 441
Trachewsky D, 75
Tregear GW, 730
Trippodo NC, 104

U

Unger T, 528
Urthaler F, 240

V

Van Orden D, 174
Vanhoutte PM, 93, 718
Van't Laar A, 641
Venuto R, 59
Veterans Administration Cooperative Study Group, 250

W

Waeber B, 441
Walker B, 59
Wallace RB, 557
Wallin BG, 340
Webb RC, 93
Weidmann P, 367
Weinberger MH, 650
Wiener A, 574
Wikstrand J, 318
Wilhelmsen L, 318
Williams GH, 11, 168, 277
Willis LR, 386
Winternitz SR, 404
Wollheim CB, 574
Wollheim E, 574
Wolthuis R, 596
Woodcock EA, 516
Work J, 285
Wright P, 182, 188

Y

Yamamoto J, 104
Yancey MR, 615
Yukimura T, 528

Z

Zahka KG, 664
Zanella T, 300
Zeifach BW, 601
Ziegler WH, 367
Zipser R, 622
Zschaeck D, 448

Subject Index

A

Acetylator phenotype
Plasma concentration and acetylator phenotype determine response to oral hydralazine, 580
Acid activation
Isolation and activation of inactive renin from human kidney and plasma. Plasma and renal inactive renins have different molecular weights, 509
ACTH
Steroidogenic characteristics of a new aldosterone-stimulating factor (ASF) isolated from normal human urine, 300
Adenosine triphosphate
Analysis of calcium handling in erythrocyte membranes of genetically hypertensive rats, 397
Adolescents
Cardiac involvement in adolescent hypertension. Echocardiographic determination of myocardial hypertrophy, 664
Cardiovascular characteristics in adolescents who develop essential hypertension, 521
Adrenal capsular cells
Steroidogenic characteristics of a new aldosterone-stimulating factor (ASF) isolated from normal human urine, 300
Adrenal glomerulosa cells
Isolation of aldosterone-stimulating factor (ASF) and its effect on rat adrenal glomerulosa cells in vitro, 4
Adrenergic denervation
Adrenergic neurotransmission in vascular smooth muscle from spontaneously hypertensive rats, 93
Age
Cardiovascular characteristics in adolescents who develop essential hypertension, 521
Collagen metabolism and reversal of aortic medial hypertrophy in spontaneously hypertensive rats treated with methyldopa, 479
Effect of age and spontaneous hypertension on the tachyphylaxis to 5-hydroxytryptamine and angiotensin II in the isolated rat kidney, 718
Management of the hypertensive patient: a continuing dilemma, 192
1-Aklyl-2-acetoyl-glycerophosphocholine
Analogs of phosphatidylcholine: α-adrenergic antagonists from the renal medulla, 460
Alcohol
Alcohol consumption and blood pressure. The Lipid Research Clinics Prevalence Study, 557
Aldosterone
Effect of potassium chloride on the blood pressure in two-kidney, one clip Goldblatt hypertensive rats, 566
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11
Is vasopressin an important hypertensive hormone? 416
Low plasma renin activity in normotensive patients with diabetes mellitus: relationship to neuropathy, 87
Renal artery stenosis with normal angiotensin II values. Relationship between angiotensin II and body sodium and potassium on correction of hypertension by captopril and subsequent surgery, 53
Role of mineralocorticoid in the chronic antihypertensive effect of converting enzyme inhibitor, 205
Steroidogenic characteristics of a new aldosterone-stimulating factor (ASF) isolated from normal human urine, 300
Aldosterone-stimulating factor (ASF)
Isolation of aldosterone-stimulating factor (ASF) and its effect on rat adrenal glomerulosa cells in vitro, 4
Steroidogenic characteristics of a new aldosterone-stimulating factor (ASF) isolated from normal human urine, 300
Alpha-adrenergic antagonist
Analogs of phosphatidylcholine: α-adrenergic antagonists from the renal medulla, 460
Alpha-adrenergic receptors
Acute and chronic intrarenal alpha- and beta-adrenergic receptor stimulation of renin release in the conscious dog, 615
Specific changes in hypothalamic alpha-adrenoceptors in young spontaneously hypertensive rats, 516
Alpha-methyltyrosine
Noradrenergic mechanisms in the brain and peripheral organs of normotensive and spontaneously hypertensive rats at various ages, 682
American Heart Association, committee report
AHA committee report: Recommendations for human blood pressure determination by sphygmomanometers, 509A
Angiotensin blockade
Role of reactive hyperreninemia in blood pressure changes induced by sodium depletion in patients with refractory hypertension, 441
Angiotensin converting enzyme
Properties of angiotensin-converting enzyme in intact cerebral microvessels, 198
Angiotensin I
Angiotensin I, II, and III in sheep. A model of angiotensin production and metabolism, 730
Properties of angiotensin-converting enzyme in intact cerebral microvessels, 198
Responses of juxtaglomerular cell suspensions to various stimuli, 157
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Angiotensin II
Angiotensin-converting enzyme inhibitor resets baroreceptor reflexes in conscious dogs, 676
Angiotensin I, II, and III in sheep. A model of angiotensin production and metabolism, 730
Central opiate system modulation of the area postrema pressor pathway, 313
Converting enzyme inhibition during chronic angiotensin II infusion in rats. Evidence against a nonangiotensin mechanism, 269
Effect of age and spontaneous hypertension on the tachyphylaxis to 5-hydroxytryptamine and angiotensin II in the isolated rat kidney, 718
Is vasopressin an important hypertensive hormone? 416
A possible antihypertensive mechanism of propranolol: antagonism of angiotensin II enhancement of sympathetic nerve transmission through prostaglandins, 23
Pressor factors and cardiovascular pressor responsiveness in borderline hypertension, 367
Purification of tonin by affinity chromatography, 81
Renal artery stenosis with normal angiotensin II values. Relationship between angiotensin II and body sodium and potassium on correction of hypertension by captopril and subsequent surgery, 53
Role of mineralocorticoid in the chronic antihypertensive effect of converting enzyme inhibitor, 205
Steroidogenic characteristics of a new aldosterone-stimulating factor (ASF) isolated from normal human urine, 300
Angiotensin III
Angiotensin I, II, and III in sheep. A model of angiotensin production and metabolism, 730
Animal studies, cat
Effects of D-Ala² methionine-enkephalin on blood pressure, heart rate, and baroreceptor reflex sensitivity in conscious cats, 528
Animal studies, dog
Acute and chronic intrarenal alpha- and beta-adrenergic recep-

tor stimulation of renin release in the conscious dog, 615
Angiotensin-converting enzyme inhibitor resets baroreceptor reflexes in conscious dogs, 676
Central opiate system modulation of the area postrema pressor pathway, 313
Clondine attenuation of a cardiogenic hypertensive chemoreflect, 240
Diazoxide disposition and effect on vascular resistance and compliance in dogs, 225
Effect of chronic sodium depletion on cerebrospinal fluid and plasma catecholamines, 233
Is vasopressin an important hypertensive hormone? 416
Pre- and postcapillary vascular responses to sympathetic nerve stimulation in DOCA-hypertensive dogs, 471
Role of endogenous prostaglandins in volume expansion and during furosemide infusion in conscious dogs, 59

Animal studies, rabbit
Properties of angiotensin-converting enzyme in intact cerebral microvessels, 198
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Steroidogenic characteristics of a new aldosterone-stimulating factor (ASF) isolated from normal human urine, 300

Animal studies, rat
Adrenergic neurotransmission in vascular smooth muscle from spontaneously hypertensive rats, 93
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 1. Mesenteric artery, 704
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 2. Portal-mesenteric veins and atria, 710
Analogs of phosphatidylcholine: α-adrenergic antagonists from the renal medulla, 460
Analysis of calcium handling in erythrocyte membranes of genetically hypertensive rats, 397
Antihypertensive effect of riboflavin analogs in rats with mineralocorticoid-induced hypertension, 75
Arterial pressure and exaggerated natriuresis in spontaneously hypertensive rats, 386
Basis for the altered arterial wall mechanics in the spontaneously hypertensive rat, 485
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Collagen metabolism and reversal of aortic medial hypertrophy in spontaneously hypertensive rats treated with methyldopa, 479
Continuous monitoring of arterial pressure indicates sinoaortic denervated rats are not hypertensive, 119
Converting enzyme inhibition during chronic angiotensin II infusion in rats. Evidence against a nonangiotensin mechanism, 269
Does vasopressin contribute to salt-induced hypertension in the Dahl strain? 174
Effect of chronic treatment of spontaneously hypertensive rats with D 600, 657
Effect of cross-transplantation on normotensive and spontaneously hypertensive rat arterial muscle membrane, 534
Effect of potassium chloride on the blood pressure in two-kidney, one clip Goldblatt hypertensive rats, 566
Effect of salt on prostaglandin metabolism in hypertension-prone and -resistant Dahl rats, 219
Effects of bromocriptine on responses to stress in spontaneously hypertensive rats, 544
Effects of stress on blood pressure and cardiac pathology in rats with borderline hypertension, 496
Evidence against a role of vasopressin in the maintenance of high blood pressure in mineralocorticoid and renovascular hypertension, 34
Exaggerated sympathetic responses to bradykinin in spontaneously hypertensive rats, 433
Hemodynamic responses to bilateral lesions of the nucleus tractus solitarii in spontaneously hypertensive and normotensive rats, 362
Hydralazine: effect on contraction mechanics of WKY and SHR rat heart muscle, 356
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380
Isolation of aldosterone-stimulating factor (ASF) and its effect on rat adrenal glomerulosa cells in vitro, 4
Kinetics of active sodium transport in aortas from control and deoxycorticosterone hypertensive rats, 631
Micropressure-flow relationships in a skeletal muscle of spontaneously hypertensive rats, 601
Myofilament-polyribosome association in muscle cells of rat left atrium after short-term hypertension, 725
Noradrenergic mechanisms in the brain and peripheral organs of normotensive and spontaneously hypertensive rats at various ages, 682
A possible antihypertensive mechanism of propranolol: antagonism of angiotensin II enhancement of sympathetic nerve transmission through prostaglandins, 23
Pressor responses to centrally-administered prostaglandin E_2 in spontaneously hypertensive rats, 426
Purification of tonin by affinity chromatography, 81
Renal sympathetic nerve activity and the exaggerated natriuresis of the spontaneous hypertensive rat, 134
Responses of juxtaglomerular cell suspensions to various stimuli, 157
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Role of the renal nerves in the pathogenesis of one-kidney renal hypertension in the rat, 404
Specific changes in hypothalamic alpha-adrenoceptors in young spontaneously hypertensive rats, 516
Systemic and regional hemodynamic changes associated with anterior hypothalamic lesions in conscious rats, 245
Ultrastructural characteristics of endothelial permeability pathways in chronic hypertension, 586
Vasopressin release does not contribute to pressor action of enkephalin in SHR, 410
Whole-body venous capacity and effective total tissue compliance in SHR, 104

Animal studies, sheep
Angiotensin I, II, and III in sheep. A model of angiotensin production and metabolism, 730

Antidepressant, tricyclic
Norepinephrine kinetics in essential hypertension. Defective neuronal uptake of norepinephrine in some patients, 149

Antidiuretic hormone
Vasopressin release does not contribute to pressor action of enkephalin in SHR, 410

Antihypertensive activity
Antihypertensive effect of riboflavin analogs in rats with mineralocorticoid-induced hypertension, 75
The antihypertensive mechanism of clonidine in man. Evidence against a generalized reduction of sympathetic activity, 340
Clondine attenuation of a cardiogenic hypertensive chemoreflect, 240
Contribution of prostaglandins to the antihypertensive action of captopril in essential hypertension, 168
Evidence against a role of vasopressin in the maintenance of high blood pressure in mineralocorticoid and renovascular hypertension, 34
Oxprenolol vs propranolol: a randomized, double-blind, multiclinic trial in hypertensive patients taking hydrochlorothiazide, 250
A possible antihypertensive mechanism of propranolol: antagonism of angiotensin II enhancement of sympathetic nerve transmission through prostaglandins, 23
Role of mineralocorticoid in the chronic antihypertensive effect of converting enzyme inhibitor, 205
Short-term systemic hemodynamic adaptation to beta-adrenergic inhibition with atenolol in hypertensive patients, 262
Urinary kallikrein activity and renal vascular resistance in the antihypertensive response to thiazide diuretics, 139

Antikinin globulins
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Aorta
Collagen metabolism and reversal of aortic medial hypertrophy in spontaneously hypertensive rats treated with methyldopa, 479
Kinetics of active sodium transport in aortas from control and deoxycorticosterone hypertensive rats, 631
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306
Aortic rings
Effect of salt on prostaglandin metabolism in hypertension-prone and -resistant Dahl rats, 219
Area postrema
Central opiate system modulation of the area postrema pressor pathway, 313
Arterial collaterals
Book review, 395
Arterial pressure
Arterial pressure and exaggerated natriuresis in spontaneously hypertensive rats, 386
Is vasopressin an important hypertensive hormone? 416
Arterial wall mechanics
Basis for the altered arterial wall mechanics in the spontaneously hypertensive rat, 485
Atenolol
Short-term systemic hemodynamic adaptation to beta-adrenergic inhibition with atenolol in hypertensive patients, 262
ATPase
Analysis of calcium handling in erythrocyte membranes of genetically hypertensive rats, 397
Cation fluxes and Na^+-K^+-activated ATPase activity in erythrocytes of patients with essential hypertension, 641
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306
Atrium
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 2. Portal-mesenteric veins and atria, 710
Autoregulation
Impaired renal blood flow and cortical pressure autoregulation in contralateral kidneys of Goldblatt hypertensive rats, 67

B

Baroreceptor denervation
Continuous monitoring of arterial pressure indicates sinoaortic denervated rats are not hypertensive, 119
Baroreflex mechanism
Angiotensin-converting enzyme inhibitor resets baroreceptor reflexes in conscious dogs, 676
The antihypertensive mechanism of clonidine ... man. Evidence against a generalized reduction of sympathetic activity, 340
Effects of D-Ala² methionine-enkephalin on blood pressure, heart rate, and baroreceptor reflex sensitivity in conscious cats, 528
Beta-adrenergic blockade
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380
Oxprenolol vs propranolol: a randomized, double-blind, multiclinic trial in hypertensive patients taking hydrochlorothiazide, 250
Short-term systemic hemodynamic adaptation to beta-adrenergic inhibition with atenolol in hypertensive patients, 262
Beta-adrenergic receptors
Specific changes in hypothalamic alpha-adrenoceptors in young spontaneously hypertensive rats, 516
Black population
Pediatric blood pressure: ethnic comparisons in a primary care center, 39
Blood flow arterioles
Micropressure-flow relationships in a skeletal muscle of spontaneously hypertensive rats, 601
Blood flow, regional
Hemodynamic responses to bilateral lesions of the nucleus tractus solitarii in spontaneously hypertensive and normotensive rats, 362
Systemic and regional hemodynamic changes associated with anterior hypothalamic lesions in conscious rats, 245
Blood pressure measurement
Continuous monitoring of arterial pressure indicates sinoaortic denervated rats are not hypertensive, 119
Portable blood pressure measurements: performance of Korotkov sound analysis techniques, 596
Blood pressure regulation
Changing sodium intake in children. The Minneapolis Children's Blood Pressure Study, 698
Converting enzyme inhibition during chronic angiotensin II infusion in rats. Evidence against a nonangiotensin mechanism, 269
Blood pressure screening
Pediatric blood pressure: ethnic comparisons in a primary care center, 39
Blood pressure variations
Blood pressure response to hemodialysis, 333
Blood volume
Effect of hemodialysis on blood volume distribution and cardiac output, 327
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306
Whole-body venous capacity and effective total tissue compliance in SHR, 104
Body composition, human
Renal artery stenosis with normal angiotensin II values. Relationship between angiotensin II and body sodium and potassium on correction of hypertension by captopril and subsequent surgery, 53
Body size
Sodium excretion and blood pressure, 318
Book review
Book review, 395
Bradykinin
Converting enzyme inhibition during chronic angiotensin II infusion in rats. Evidence against a nonangiotensin mechanism, 269
Exaggerated sympathetic responses to bradykinin in spontaneously hypertensive rats, 433
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Brain
Effects of D-Ala² methionine-enkephalin on blood pressure, heart rate, and baroreceptor reflex sensitivity in conscious cats, 528
Noradrenergic mechanisms in the brain and peripheral organs of normotensive and spontaneously hypertensive rats at various ages, 682
Specific changes in hypothalamic alpha-adrenoceptors in young spontaneously hypertensive rats, 516
Bromocriptine
Effects of bromocriptine on responses to stress in spontaneously hypertensive rats, 544

C

Calcium
Analysis of calcium handling in erythrocyte membranes of genetically hypertensive rats, 397
Effect of chronic treatment of spontaneously hypertensive rats with D 600, 657
Prolonged exposure to ouabain eliminates the greater norepinephrine-dependent calcium sensitivity of resistance vessels in spontaneously hypertensive rats, 691
cAMP production
Steroidogenic characteristics of a new aldosterone-stimulating factor (ASF) isolated from normal human urine, 300

Captopril
Blood concentration and urinary excretion of captopril (SQ 14,225) in patients with chronic renal failure, 456
Clinical use of captopril. Letter, 507
Comparative effects of teprotide and captopril. Letter, 277
Contribution of prostaglandins to the antihypertensive action of captopril in essential hypertension, 168
Renal artery stenosis with normal angiotensin II values. Relationship between angiotensin II and body sodium and potassium on correction of hypertension by captopril and subsequent surgery, 53
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Role of mineralocorticoid in the chronic antihypertensive effect of converting enzyme inhibitor, 205
Cardiac contractile response
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380
Cardiac index
Role of reactive hyperreninemia in blood pressure changes induced by sodium depletion in patients with refractory hypertension, 441
Cardiac output
Blood pressure response to hemodialysis, 333
Effect of hemodialysis on blood volume distribution and cardiac output, 327
Effects of D-Ala² methionine-enkephalin on blood pressure, heart rate, and baroreceptor reflex sensitivity in conscious cats, 528
Hemodynamic responses to bilateral lesions of the nucleus tractus solitarii in spontaneously hypertensive and normotensive rats, 362
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380
Short-term systemic hemodynamic adaptation to beta-adrenergic inhibition with atenolol in hypertensive patients, 262
Systemic and regional hemodynamic changes associated with anterior hypothalamic lesions in conscious rats, 245
Cardiac pathology
Effects of stress on blood pressure and cardiac pathology in rats with borderline hypertension, 496
Cardiovascular response
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 2. Portal-mesenteric veins and atria, 710
Cardiovascular characteristics in adolescents who develop essential hypertension, 521
Cat, *see* Animal studies, cat
Catecholamines
Effect of chronic sodium depletion on cerebrospinal fluid and plasma catecholamines, 233
Essential hypertension with low conjugated catecholamines imitates pheochromocytoma, 347
Norepinephrine and renin activity in chronic renal failure. Evidence for interacting roles in hemodialysis hypertension, 294
Plasma norepinephrine during stress in essential hypertension, 551
Plasma norepinephrine in essential hypertension. A study of the studies, 48
Pressor factors and cardiovascular pressor responsiveness in borderline hypertension, 367
Cation fluxes
Cation fluxes and Na^+-K^+-activated ATPase activity in erythrocytes of patients with essential hypertension, 641
Cell volume
Basis for the altered arterial wall mechanics in the spontaneously hypertensive rat, 485
Central nervous system
Central opiate system modulation of the area postrema pressor pathway, 313
Cerebral microvessels
Properties of angiotensin-converting enzyme in intact cerebral microvessels, 198
Cerebrospinal fluid
Cerebrospinal fluid and plasma dopamine-beta-hydroxylase activity in human hypertension, 448
Effect of chronic sodium depletion on cerebrospinal fluid and plasma catecholamines, 233
Chemoreceptor
Clondine attenuation of a cardiogenic hypertensive chemoreflect, 240
Children
Changing sodium intake in children. The Minneapolis Children's Blood Pressure Study, 698
Left ventricular hypertrophy in children with blood pressures in the upper quintile of the distribution. The Muscatine Study, 669
Pediatric blood pressure: ethnic comparisons in a primary care center, 39
Chromatography
Isolation and activation of inactive renin from human kidney and plasma. Plasma and renal inactive renins have different molecular weights, 509
Purification of tonin by affinity chromatography, 81
Chronotropic response
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380
Cigarette smoking
Alcohol consumption and blood pressure. The Lipid Research Clinics Prevalence Study, 557
Circulation
Diazoxide disposition and effect on vascular resistance and compliance in dogs, 225
Prolonged isometric exercise. Part 1: Effect on circulation and on renal excretion of sodium and potassium in mild essential hypertension, 182
Prolonged isometric exercise. Part 2: Effect on circulation and on renal excretion of sodium and potassium in young males genetically predisposed to hypertension, 188
Circulatory filling pressure
Whole-body venous capacity and effective total tissue compliance in SHR, 104
Clipping
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Clonidine
The antihypertensive mechanism of clonidine in man. Evidence against a generalized reduction of sympathetic activity, 340
Clondine attenuation of a cardiogenic hypertensive chemoreflect, 240
Cold pressor test
Plasma norepinephrine during stress in essential hypertension, 551
Collagen metabolism
Basis for the altered arterial wall mechanics in the spontaneously hypertensive rat, 485
Collagen metabolism and reversal of aortic medial hypertrophy in spontaneously hypertensive rats treated with methyldopa, 479
Compliance
Diazoxide disposition and effect on vascular resistance and compliance in dogs, 225
Computer analysis
Clondine attenuation of a cardiogenic hypertensive chemoreflect, 240
Conjugation
Essential hypertension with low conjugated catecholamines imitates pheochromocytoma, 347
Connective tissue content
Basis for the altered arterial wall mechanics in the spontaneously hypertensive rat, 485
Contraction mechanics
Effect of chronic treatment of spontaneously hypertensive rats with D 600, 657
Hydralazine: effect on contraction mechanics of WKY and SHR rat heart muscle, 356
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380
Converting enzyme inhibition
Angiotensin-converting enzyme inhibitor resets baroreceptor reflexes in conscious dogs, 676

Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Converting enzyme inhibition during chronic angiotensin II infusion in rats. Evidence against a nonangiotensin mechanism, 269
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Role of mineralocorticoid in the chronic antihypertensive effect of converting enzyme inhibitor, 205
Cooperative study
Oxprenolol vs propranolol: a randomized, double-blind, multiclinic trial in hypertensive patients taking hydrochlorothiazide, 250
Cortisol
Norepinephrine kinetics in essential hypertension. Defective neuronal uptake of norepinephrine in some patients, 149
Cost-benefit analysis
Cost-effectiveness of a worksite hypertension treatment program, 211
Creatinine clearance
Role of the renal nerves in the pathogenesis of one-kidney renal hypertension in the rat, 404
Cremaster muscle
Analogs of phosphatidylcholine: α-adrenergic antagonists from the renal medulla, 460

D

Dahl rat
Does vasopressin contribute to salt-induced hypertension in the Dahl strain? 174
Effect of salt on prostaglandin metabolism in hypertension-prone and -resistant Dahl rats, 219
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306
DAME ([D-Ala²]-methionine-enkephalin), *see* Methionine-enkephalin
D(CH$_2$)$_5$VDAVP
Does vasopressin contribute to salt-induced hypertension in the Dahl strain? 174
Deoxycorticosterone acetate (DOCA)
Antihypertensive effect of riboflavin analogs in rats with mineralocorticoid-induced hypertension, 75
Effect of prostaglandin inhibition on the hypertensive action of sodium-retaining steroids, 622
Kinetics of active sodium transport in aortas from control and deoxycorticosterone hypertensive rats, 631
Diabetes mellitus
Low plasma renin activity in normotensive patients with diabetes mellitus: relationship to neuropathy, 87
Diagnosis
Management of the hypertensive patient: a continuing dilemma, 192
Diazoxide
Diazoxide disposition and effect on vascular resistance and compliance in dogs, 225
Dibucaine
A possible antihypertensive mechanism of propranolol: antagonism of angiotensin II enhancement of sympathetic nerve transmission through prostaglandins, 23
Diet
Changing sodium intake in children. The Minneapolis Children's Blood Pressure Study, 698
Sodium excretion and blood pressure, 318
Diuretics
Effect of chronic sodium depletion on cerebrospinal fluid and plasma catecholamines, 233
Urinary kallikrein activity and renal vascular resistance in the antihypertensive response to thiazide diuretics, 139
Vasopressin release does not contribute to pressor action of enkephalin in SHR, 410
Dog, *see* Animal studies, dog
Dopamine
Effect of chronic sodium depletion on cerebrospinal fluid and plasma catecholamines, 233
Effects of bromocriptine on responses to stress in spontaneously hypertensive rats, 544
Dopamine-beta-hydroxylase
Cerebrospinal fluid and plasma dopamine-beta-hydroxylase activity in human hypertension, 448

E

Echocardiography
Cardiac involvement in adolescent hypertension. Echocardiographic determination of myocardial hypertrophy, 664
Editorial
A progress report on *Hypertension*, 1
Elastin
Basis for the altered arterial wall mechanics in the spontaneously hypertensive rat, 485
Electrogenic ion transport
Effect of cross-transplantation on normotensive and spontaneously hypertensive rat arterial muscle membrane, 534
Electrolytes
Converting enzyme inhibition during chronic angiotensin II infusion in rats. Evidence against a nonangiotensin mechanism, 269
Kinetics of active sodium transport in aortas from control and deoxycorticosterone hypertensive rats, 631
Emotions
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11
End-diastolic volume
Effect of hemodialysis on blood volume distribution and cardiac output, 327
Endocrine response
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11
Endothelial cells
Properties of angiotensin-converting enzyme in intact cerebral microvessels, 198
Endothelial permeability
Ultrastructural characteristics of endothelial permeability pathways in chronic hypertension, 586
Enkephalin
Effects of D-Ala² methionine-enkephalin on blood pressure, heart rate, and baroreceptor reflex sensitivity in conscious cats, 528
Vasopressin release does not contribute to pressor action of enkephalin in SHR, 410
Enzyme purification
Purification of tonin by affinity chromatography, 81
Epidemiology
Alcohol consumption and blood pressure. The Lipid Research Clinics Prevalence Study, 557
Defect in the excretion of a vasoactive polypeptide fraction. A possible genetic marker of primary hypertension, 574
Sodium excretion and blood pressure, 318
Epinephrine
Effect of chronic sodium depletion on cerebrospinal fluid and plasma catecholamines, 233
Plasma epinephrine and norepinephrine concentrations in primary and secondary human hypertension, 373
Erythrocytes
Analysis of calcium handling in erythrocyte membranes of genetically hypertensive rats, 397
Cation fluxes and Na^+-K^+-activated ATPase activity in erythrocytes of patients with essential hypertension, 641
Esophageal peristalsis
Low plasma renin activity in normotensive patients with diabetes mellitus: relationship to neuropathy, 87

Exercise
Plasma norepinephrine during stress in essential hypertension, 551
Prolonged isometric exercise. Part 1: Effect on circulation and on renal excretion of sodium and potassium in mild essential hypertension, 182
Prolonged isometric exercise. Part 2: Effect on circulation and on renal excretion of sodium and potassium in young males genetically predisposed to hypertension, 188
Extracellular fluid volume
Arterial pressure and exaggerated natriuresis in spontaneously hypertensive rats, 386
Basis for the altered arterial wall mechanics in the spontaneously hypertensive rat, 485
Blood pressure response to hemodialysis, 333
Effect of hemodialysis on blood volume distribution and cardiac output, 327
Kinetics of active sodium transport in aortas from control and deoxycorticosterone hypertensive rats, 631
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306

F

Familial hypertension
Cardiovascular characteristics in adolescents who develop essential hypertension, 521
Changing sodium intake in children. The Minneapolis Children's Blood Pressure Study, 698
Defect in the excretion of a vasoactive polypeptide fraction. A possible genetic marker of primary hypertension, 574
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11
Prolonged isometric exercise. Part 2: Effect on circulation and on renal excretion of sodium and potassium in young males genetically predisposed to hypertension, 188
Fludrocortisone
Effect of prostaglandin inhibition on the hypertensive action of sodium-retaining steroids, 622
Framingham study
Management of the hypertensive patient: a continuing dilemma, 192
Freeze fracture
Ultrastructural characteristics of endothelial permeability pathways in chronic hypertension, 586
Frequency-force curves
Hydralazine: effect on contraction mechanics of WKY and SHR rat heart muscle, 356
Furosemide
Cation fluxes and Na^+-K^+-activated ATPase activity in erythrocytes of patients with essential hypertension, 641
Role of endogenous prostaglandins in volume expansion and during furosemide infusion in conscious dogs, 59

G

Glomerular filtration rate
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Impaired renal blood flow and cortical pressure autoregulation in contralateral kidneys of Goldblatt hypertensive rats, 67
Glycoprotein
Isolation of aldosterone-stimulating factor (ASF) and its effect on rat adrenal glomerulosa cells in vitro, 4
Goldblatt rat
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Effect of potassium chloride on the blood pressure in two-kidney, one clip Goldblatt hypertensive rats, 566
Evidence against a role of vasopressin in the maintenance of high blood pressure in mineralocorticoid and renovascular hypertension, 34
Impaired renal blood flow and cortical pressure autoregulation in contralateral kidneys of Goldblatt hypertensive rats, 67
Role of mineralocorticoid in the chronic antihypertensive effect of converting enzyme inhibitor, 205
Grollman rat
Role of the renal nerves in the pathogenesis of one-kidney renal hypertension in the rat, 404

H

Health care system
Cost-effectiveness of a worksite hypertension treatment program, 211
Heart muscle
Hydralazine: effect on contraction mechanics of WKY and SHR rat heart muscle, 356
Hemodialysis
Blood pressure response to hemodialysis, 333
Effect of hemodialysis on blood volume distribution and cardiac output, 327
Norepinephrine and renin activity in chronic renal failure. Evidence for interacting roles in hemodialysis hypertension, 294
Hemodynamics
Hemodynamic responses to bilateral lesions of the nucleus tractus solitarii in spontaneously hypertensive and normotensive rats, 362
Micropressure-flow relationships in a skeletal muscle of spontaneously hypertensive rats, 601
Role of reactive hyperreninemia in blood pressure changes induced by sodium depletion in patients with refractory hypertension, 441
Short-term systemic hemodynamic adaptation to beta-adrenergic inhibition with atenolol in hypertensive patients, 262
Systemic and regional hemodynamic changes associated with anterior hypothalamic lesions in conscious rats, 245
Heredity
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11
Prolonged isometric exercise. Part 2: Effect on circulation and on renal excretion of sodium and potassium in young males genetically predisposed to hypertension, 188
Horseradish peroxidase tracer
Ultrastructural characteristics of endothelial permeability pathways in chronic hypertension, 586
Hospitalization, influence of
Influence of hospitalization and placebo therapy on blood pressure and sympathetic function in essential hypertension, 113
Hydralazine
Hydralazine: effect on contraction mechanics of WKY and SHR rat heart muscle, 356
Plasma concentration and acetylator phenotype determine response to oral hydralazine, 580
Hydrochlorothiazide
Oxprenolol vs propranolol: a randomized, double-blind, multiclinic trial in hypertensive patients taking hydrochlorothiazide, 250
6-Hydroxydopamine
Adrenergic neurotransmission in vascular smooth muscle from spontaneously hypertensive rats, 93
Exaggerated sympathetic responses to bradykinin in spontaneously hypertensive rats, 433
Hydroxyprostaglandin dehydrogenase
Effect of salt on prostaglandin metabolism in hypertension-prone and -resistant Dahl rats, 219

5-Hydroxytryptamine
Effect of age and spontaneous hypertension on the tachyphylaxis to 5-hydroxytryptamine and angiotensin II in the isolated rat kidney, 718
Hyperreninemia
Role of reactive hyperreninemia in blood pressure changes induced by sodium depletion in patients with refractory hypertension, 441
Hypertension, adrenal regeneration
Evidence against a role of vasopressin in the maintenance of high blood pressure in mineralocorticoid and renovascular hypertension, 34
Hypertension, arterial
Norepinephrine kinetics in essential hypertension. Defective neuronal uptake of norepinephrine in some patients, 149
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306
Hypertension, borderline
Cardiovascular characteristics in adolescents who develop essential hypertension, 521
Defect in the excretion of a vasoactive polypeptide fraction. A possible genetic marker of primary hypertension, 574
Effects of stress on blood pressure and cardiac pathology in rats with borderline hypertension, 496
Management of the mildly hypertensive patient. Letter, 629
Pressor factors and cardiovascular pressor responsiveness in borderline hypertension, 367
Hypertension, DOCA-salt
Antihypertensive effect of riboflavin analogs in rats with mineralocorticoid-induced hypertension, 75
Does vasopressin contribute to salt-induced hypertension in the Dahl strain? 174
Myofilament-polyribosome association in muscle cells of rat left atrium after short-term hypertension, 725
Pre- and postcapillary vascular responses to sympathetic nerve stimulation in DOCA-hypertensive dogs, 471
Hypertension duration
Effect of age and spontaneous hypertension on the tachyphylaxis to 5-hydroxytryptamine and angiotensin II in the isolated rat kidney, 718
Hypertension, essential
Adrenergic neurotransmission in vascular smooth muscle from spontaneously hypertensive rats, 93
Cardiac involvement in adolescent hypertension. Echocardiographic determination of myocardial hypertrophy, 664
Cation fluxes and Na^+-K^+-activated ATPase activity in erythrocytes of patients with essential hypertension, 641
Cerebrospinal fluid and plasma dopamine-beta-hydroxylase activity in human hypertension, 448
Contribution of prostaglandins to the antihypertensive action of captopril in essential hypertension, 168
Defect in the excretion of a vasoactive polypeptide fraction. A possible genetic marker of primary hypertension, 574
Dynamic responses of active and inactive renin in patients with essential and renovascular hypertension, 126
Effects of stress on blood pressure and cardiac pathology in rats with borderline hypertension, 496
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11
Essential hypertension with low conjugated catecholamines imitates pheochromocytoma, 347
Exaggerated sympathetic responses to bradykinin in spontaneously hypertensive rats, 433
Influence of hospitalization and placebo therapy on blood pressure and sympathetic function in essential hypertension, 113
Norepinephrine kinetics in essential hypertension. Defective neuronal uptake of norepinephrine in some patients, 149
Plasma concentration and acetylator phenotype determine response to oral hydralazine, 580
Plasma epinephrine and norepinephrine concentrations in primary and secondary human hypertension, 373
Plasma norepinephrine during stress in essential hypertension, 551
Plasma norepinephrine in essential hypertension. A study of the studies, 48
Prolonged isometric exercise. Part 1: Effect on circulation and on renal excretion of sodium and potassium in mild essential hypertension, 182
Prolonged isometric exercise. Part 2: Effect on circulation and on renal excretion of sodium and potassium in young males genetically predisposed to hypertension, 188
Short-term systemic hemodynamic adaptation to beta-adrenergic inhibition with atenolol in hypertensive patients, 262
Sodium excretion and blood pressure, 318
Urinary kallikrein activity and renal vascular resistance in the antihypertensive response to thiazide diuretics, 139
Hypertension, experimental
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11
Evidence against a role of vasopressin in the maintenance of high blood pressure in mineralocorticoid and renovascular hypertension, 34
Hypertension, genetic
Analysis of calcium handling in erythrocyte membranes of genetically hypertensive rats, 397
Does vasopressin contribute to salt-induced hypertension in the Dahl strain? 174
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11
Prolonged isometric exercise. Part 2: Effect on circulation and on renal excretion of sodium and potassium in young males genetically predisposed to hypertension, 188
Renal prostaglandin excretion and metabolism in male and female New Zealand normotensive and genetically hypertensive rats, 257
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306
Hypertension journal
A progress report on *Hypertension*, 1
Hypertension, malignant
Evidence against a role of vasopressin in the maintenance of high blood pressure in mineralocorticoid and renovascular hypertension, 34
Hypertension, mineralocorticoid
Antihypertensive effect of riboflavin analogs in rats with mineralocorticoid-induced hypertension, 75
Hypertension, refractory
Role of reactive hyperreninemia in blood pressure changes induced by sodium depletion in patients with refractory hypertension, 441
Hypertension, renovascular
Analysis of calcium handling in erythrocyte membranes of genetically hypertensive rats, 397
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Cerebrospinal fluid and plasma dopamine-beta-hydroxylase activity in human hypertension, 448
Dynamic responses of active and inactive renin in patients with essential and renovascular hypertension, 126
Effect of potassium chloride on the blood pressure in two-kidney, one clip Goldblatt hypertensive rats, 566
Impaired renal blood flow and cortical pressure autoregulation in contralateral kidneys of Goldblatt hypertensive rats, 67
Norepinephrine and renin activity in chronic renal failure. Evidence for interacting roles in hemodialysis hypertension, 294
Plasma epinephrine and norepinephrine concentrations in primary and secondary human hypertension, 373
Role of mineralocorticoid in the chronic antihypertensive effect of converting enzyme inhibitor, 205
Hypertension, spontaneous, *see* Hypertension, essential
Hypertrophy
Cardiac involvement in adolescent hypertension. Echocardiographic determination of myocardial hypertrophy, 664
Collagen metabolism and reversal of aortic medial hypertrophy in spontaneously hypertensive rats treated with methyldopa, 479
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380
Left ventricular hypertrophy in children with blood pressures in the upper quintile of the distribution. The Muscatine Study, 669

Hypotension
Blood pressure response to hemodialysis, 333
Hypothalamus
Specific changes in hypothalamic alpha-adrenoceptors in young spontaneously hypertensive rats, 516
Systemic and regional hemodynamic changes associated with anterior hypothalamic lesions in conscious rats, 245

I

Idiopathic autonomic insufficiency
Norepinephrine kinetics in essential hypertension. Defective neuronal uptake of norepinephrine in some patients, 149
Impotence
Oxprenolol vs propranolol: a randomized, double-blind, multiclinic trial in hypertensive patients taking hydrochlorothiazide, 250
Indomethacin
A possible antihypertensive mechanism of propranolol: antagonism of angiotensin II enhancement of sympathetic nerve transmission through prostaglandins, 23
Industrial medicine
Cost-effectiveness of a worksite hypertension treatment program, 211
Inotropic response
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380
Interstitial fluid pressure
Whole-body venous capacity and effective total tissue compliance in SHR, 104
Intracerebroventricular infusion
Pressor responses to centrally-administered prostaglandin E_2 in spontaneously hypertensive rats, 426
Isoelectric point
Isolation and activation of inactive renin from human kidney and plasma. Plasma and renal inactive renins have different molecular weights, 509
Isogravimetric method
Pre- and postcapillary vascular responses to sympathetic nerve stimulation in DOCA-hypertensive dogs, 471
Isometric exercise
Prolonged isometric exercise. Part 1: Effect on circulation and on renal excretion of sodium and potassium in mild essential hypertension, 182
Prolonged isometric exercise. Part 2: Effect on circulation and on renal excretion of sodium and potassium in young males genetically predisposed to hypertension, 188
Isoproterenol
Acute and chronic intrarenal alpha- and beta-adrenergic receptor stimulation of renin release in the conscious dog, 615
Hydralazine: effect on contraction mechanics of WKY and SHR rat heart muscle, 356
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380

J

Juxtaglomerular cells
Responses of juxtaglomerular cell suspensions to various stimuli, 157

K

Kallikrein
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Urinary kallikrein activity and renal vascular resistance in the antihypertensive response to thiazide diuretics, 139
Kidney
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Blood pressure response to hemodialysis, 333
Effect of age and spontaneous hypertension on the tachyphylaxis to 5-hydroxytryptamine and angiotensin II in the isolated rat kidney, 718
Effect of hemodialysis on blood volume distribution and cardiac output, 327
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11
Impaired renal blood flow and cortical pressure autoregulation in contralateral kidneys of Goldblatt hypertensive rats, 67
Prolonged isometric exercise. Part 1: Effect on circulation and on renal excretion of sodium and potassium in mild essential hypertension, 182
Renal prostaglandin excretion and metabolism in male and female New Zealand normotensive and genetically hypertensive rats, 257
Responses of juxtaglomerular cell suspensions to various stimuli, 157
Kidney renin activity
Isolation and activation of inactive renin from human kidney and plasma. Plasma and renal inactive renins have different molecular weights, 509
Role of the renal nerves in the pathogenesis of one-kidney renal hypertension in the rat, 404
Kininase II
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Kinins
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Role of mineralocorticoid in the chronic antihypertensive effect of converting enzyme inhibitor, 205
Korotkoff
Analysis of calcium handling in erythrocyte membranes of genetically hypertensive rats, 397
Portable blood pressure measurements: performance of Korotkov sound analysis techniques, 596

L

Lanthanum tracer
Ultrastructural characteristics of endothelial permeability pathways in chronic hypertension, 586
Left ventricle
Cardiac involvement in adolescent hypertension. Echocardiographic determination of myocardial hypertrophy, 664
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380
Left ventricular hypertrophy in children with blood pressures in the upper quintile of the distribution. The Muscatine Study, 669
Lesions
Hemodynamic responses to bilateral lesions of the nucleus tractus solitarii in spontaneously hypertensive and normotensive rats, 362
Systemic and regional hemodynamic changes associated with anterior hypothalamic lesions in conscious rats, 245
Lipid Research Clinics Prevalence Study
Alcohol consumption and blood pressure. The Lipid Research Clinics Prevalence Study, 557

M

Membrane potential
Effect of cross-transplantation on normotensive and spontaneously hypertensive rat arterial muscle membrane, 534

Mesenteric vessels
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 1. Mesenteric artery, 704
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 2. Portal-mesenteric veins and atria, 710
Methionine-enkephalin
Effects of D-Ala² methionine-enkephalin on blood pressure, heart rate, and baroreceptor reflex sensitivity in conscious cats, 528
Vasopressin release does not contribute to pressor action of enkephalin in SHR, 410
Methoxamine
Acute and chronic intrarenal alpha- and beta-adrenergic receptor stimulation of renin release in the conscious dog, 615
Methoxy-verapamil (D600)
Effect of chronic treatment of spontaneously hypertensive rats with D 600, 657
Methyldopa
Collagen metabolism and reversal of aortic medial hypertrophy in spontaneously hypertensive rats treated with methyldopa, 479
Microcirculation
Analogs of phosphatidylcholine: α-adrenergic antagonists from the renal medulla, 460
Micropressure-flow relationships in a skeletal muscle of spontaneously hypertensive rats, 601
Microneurography
The antihypertensive mechanism of clonidine in man. Evidence against a generalized reduction of sympathetic activity, 340
Micropuncture
Arterial pressure and exaggerated natriuresis in spontaneously hypertensive rats, 386
Mineralocorticoid activity
Antihypertensive effect of riboflavin analogs in rats with mineralocorticoid-induced hypertension, 75
Evidence against a role of vasopressin in the maintenance of high blood pressure in mineralocorticoid and renovascular hypertension, 34
Role of mineralocorticoid in the chronic antihypertensive effect of converting enzyme inhibitor, 205
Minneapolis Children's Blood Pressure Study
Changing sodium intake in children. The Minneapolis Children's Blood Pressure Study, 698
Molecular weight, protein fraction
Isolation of aldosterone-stimulating factor (ASF) and its effect on rat adrenal glomerulosa cells in vitro, 4
Molecular weight, renin
Isolation and activation of inactive renin from human kidney and plasma. Plasma and renal inactive renins have different molecular weights, 509
Morphine
Central opiate system modulation of the area postrema pressor pathway, 313
Muscatine study
Left ventricular hypertrophy in children with blood pressures in the upper quintile of the distribution. The Muscatine Study, 669
Myocardium, rat
Hydralazine: effect on contraction mechanics of WKY and SHR rat heart muscle, 356
Myofilament-polyribosome association in muscle cells of rat left atrium after short-term hypertension, 725
Myosin filament
Myofilament-polyribosome association in muscle cells of rat left atrium after short-term hypertension, 725

N

Naloxone
Central opiate system modulation of the area postrema pressor pathway, 313
Effects of D-Ala² methionine-enkephalin on blood pressure, heart rate, and baroreceptor reflex sensitivity in conscious cats, 528
Natriuresis
Arterial pressure and exaggerated natriuresis in spontaneously hypertensive rats, 386
Renal sympathetic nerve activity and the exaggerated natriuresis of the spontaneous hypertensive rat, 134
Neuraminidase
Isolation of aldosterone-stimulating factor (ASF) and its effect on rat adrenal glomerulosa cells in vitro, 4
Neurons
Cerebrospinal fluid and plasma dopamine-beta-hydroxylase activity in human hypertension, 448
Norepinephrine kinetics in essential hypertension. Defective neuronal uptake of norepinephrine in some patients, 149
Neuropathy
Low plasma renin activity in normotensive patients with diabetes mellitus: relationship to neuropathy, 87
Neurotransmission
Adrenergic neurotransmission in vascular smooth muscle from spontaneously hypertensive rats, 93
New Zealand rat
Renal prostaglandin excretion and metabolism in male and female New Zealand normotensive and genetically hypertensive rats, 257
Norepinephrine
Acute and chronic intrarenal alpha- and beta-adrenergic receptor stimulation of renin release in the conscious dog, 615
Adrenergic neurotransmission in vascular smooth muscle from spontaneously hypertensive rats, 93
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 1. Mesenteric artery, 704
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 2. Portal-mesenteric veins and atria, 710
Effect of chronic sodium depletion on cerebrospinal fluid and plasma catecholamines, 233
Effect of chronic treatment of spontaneously hypertensive rats with D 600, 657
Noradrenergic mechanisms in the brain and peripheral organs of normotensive and spontaneously hypertensive rats at various ages, 682
Norepinephrine and renin activity in chronic renal failure. Evidence for interacting roles in hemodialysis hypertension, 294
Norepinephrine kinetics in essential hypertension. Defective neuronal uptake of norepinephrine in some patients, 149
Plasma epinephrine and norepinephrine concentrations in primary and secondary human hypertension, 373
Plasma norepinephrine during stress in essential hypertension, 551
Plasma norepinephrine in essential hypertension. A study of the studies, 48
A possible antihypertensive mechanism of propranolol: antagonism of angiotensin II enhancement of sympathetic nerve transmission through prostaglandins, 23
Pressor factors and cardiovascular pressor responsiveness in borderline hypertension, 367
Prolonged exposure to ouabain eliminates the greater norepinephrine-dependent calcium sensitivity of resistance vessels in spontaneously hypertensive rats, 691
Role of reactive hyperreninemia in blood pressure changes induced by sodium depletion in patients with refractory hypertension, 441
Sodium intake alters the effects of norepinephrine on blood pressure, 650
Norepinephrine antagonist
Analogs of phosphatidylcholine: α-adrenergic antagonists from the renal medulla, 460
Nucleus tractus solitarii
Hemodynamic responses to bilateral lesions of the nucleus tractus solitarii in spontaneously hypertensive and normotensive rats, 362

O

Obesity
Alcohol consumption and blood pressure. The Lipid Research Clinics Prevalence Study, 557
Left ventricular hypertrophy in children with blood pressures in the upper quintile of the distribution. The Muscatine Study, 669
Opiates
Central opiate system modulation of the area postrema pressor pathway, 313
Oubain
Prolonged exposure to ouabain eliminates the greater norepinephrine-dependent calcium sensitivity of resistance vessels in spontaneously hypertensive rats, 691
Oxprenolol
Oxprenolol vs propranolol: a randomized, double-blind, multiclinic trial in hypertensive patients taking hydrochlorothiazide, 250

P

Papillary muscle
Hydralazine: effect on contraction mechanics of WKY and SHR rat heart muscle, 356
Patient care
Cost-effectiveness of a worksite hypertension treatment program, 211
Management of the hypertensive patient: a continuing dilemma, 192
Management of the mildly hypertensive patient. Letter, 629
Pharmacokinetics
Blood concentration and urinary excretion of captopril (SQ 14,225) in patients with chronic renal failure, 456
Diazoxide disposition and effect on vascular resistance and compliance in dogs, 225
Sodium intake alters the effects of norepinephrine on blood pressure, 650
Pheochromocytoma
Essential hypertension with low conjugated catecholamines imitates pheochromocytoma, 347
Phosphatidylcholine
Analogs of phosphatidylcholine: α-adrenergic antagonists from the renal medulla, 460
Placebo effect
Influence of hospitalization and placebo therapy on blood pressure and sympathetic function in essential hypertension, 113
Plasma concentration
Angiotensin I, II, and III in sheep. A model of angiotensin production and metabolism, 730
Cerebrospinal fluid and plasma dopamine-beta-hydroxylase activity in human hypertension, 448
Plasma concentration and acetylator phenotype determine response to oral hydralazine, 580
Plasma renin activity
Angiotensin-converting enzyme inhibitor resets baroreceptor reflexes in conscious dogs, 676
Converting enzyme inhibition during chronic angiotensin II infusion in rats. Evidence against a nonangiotensin mechanism, 269
Effect of chronic sodium depletion on cerebrospinal fluid and plasma catecholamines, 233
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11
Isolation and activation of inactive renin from human kidney and plasma. Plasma and renal inactive renins have different molecular weights, 509
Low plasma renin activity in normotensive patients with diabetes mellitus: relationship to neuropathy, 87
Norepinephrine and renin activity in chronic renal failure. Evidence for interacting roles in hemodialysis hypertension, 294
Role of mineralocorticoid in the chronic antihypertensive effect of converting enzyme inhibitor, 205
Role of reactive hyperreninemia in blood pressure changes induced by sodium depletion in patients with refractory hypertension, 441
Role of the renal nerves in the pathogenesis of one-kidney renal hypertension in the rat, 404
Plasma renin substrate
Low plasma renin activity in normotensive patients with diabetes mellitus: relationship to neuropathy, 87
Plasma volume
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306
Urinary kallikrein activity and renal vascular resistance in the antihypertensive response to thiazide diuretics, 139
Plasmin activation
Isolation and activation of inactive renin from human kidney and plasma. Plasma and renal inactive renins have different molecular weights, 509
Population studies
Alcohol consumption and blood pressure. The Lipid Research Clinics Prevalence Study, 557
Changing sodium intake in children. The Minneapolis Children's Blood Pressure Study, 698
Pediatric blood pressure: ethnic comparisons in a primary care center, 39
Portal-mesenteric veins
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 2. Portal-mesenteric veins and atria, 710
Potassium balance
Is vasopressin an important hypertensive hormone? 416
Potassium, body content of
Renal artery stenosis with normal angiotensin II values. Relationship between angiotensin II and body sodium and potassium on correction of hypertension by captopril and subsequent surgery, 53
Potassium excretion
Impaired renal blood flow and cortical pressure autoregulation in contralateral kidneys of Goldblatt hypertensive rats, 67
Prolonged isometric exercise. Part 1: Effect on circulation and on renal excretion of sodium and potassium in mild essential hypertension, 182
Prolonged isometric exercise. Part 2: Effect on circulation and on renal excretion of sodium and potassium in young males genetically predisposed to hypertension, 188
Sodium excretion and blood pressure, 318
Potassium gradient
Effect of cross-transplantation on normotensive and spontaneously hypertensive rat arterial muscle membrane, 534
Potassium loading
Effect of potassium chloride on the blood pressure in two-kidney, one clip Goldblatt hypertensive rats, 566
Kinetics of active sodium transport in aortas from control and deoxycorticosterone hypertensive rats, 631
Pressor action
Central opiate system modulation of the area postrema pressor pathway, 313
Plasma norepinephrine during stress in essential hypertension, 551
Pressor factors and cardiovascular pressor responsiveness in borderline hypertension, 367
Pressor responses to centrally-administered prostaglandin E_2 in spontaneously hypertensive rats, 426
Vasopressin release does not contribute to pressor action of enkephalin in SHR, 410
Propranolol
Oxprenolol vs propranolol: a randomized, double-blind, multiclinic trial in hypertensive patients taking hydrochlorothiazide, 250
A possible antihypertensive mechanism of propranolol: antagonism of angiotensin II enhancement of sympathetic nerve transmission through prostaglandins, 23
Prostaglandins
Acute and chronic intrarenal alpha- and beta-adrenergic receptor stimulation of renin release in the conscious dog, 615

Contribution of prostaglandins to the antihypertensive action of captopril in essential hypertension, 168
Effect of prostaglandin inhibition on the hypertensive action of sodium-retaining steroids, 622
Effect of salt on prostaglandin metabolism in hypertension-prone and -resistant Dahl rats, 219
A possible antihypertensive mechanism of propranolol: antagonism of angiotensin II enhancement of sympathetic nerve transmission through prostaglandins, 23
Pressor responses to centrally-administered prostaglandin E_2 in spontaneously hypertensive rats, 426
Renal prostaglandin excretion and metabolism in male and female New Zealand normotensive and genetically hypertensive rats, 257
Role of endogenous prostaglandins in volume expansion and during furosemide infusion in conscious dogs, 59

Pseudopheochromocytoma
Essential hypertension with low conjugated catecholamines imitates pheochromocytoma, 347

Psychological stimulus
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11

R

Rabbit, *see* Animal studies, rabbit

Race
Pediatric blood pressure: ethnic comparisons in a primary care center, 39

Radioisotopes
Effects of D-Ala² methionine-enkephalin on blood pressure, heart rate, and baroreceptor reflex sensitivity in conscious cats, 528

Rat, *see* Animal studies, rat

Relaxation response
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380

Renal artery stenosis
Renal artery stenosis with normal angiotensin II values. Relationship between angiotensin II and body sodium and potassium on correction of hypertension by captopril and subsequent surgery, 53

Renal blood flow
Impaired renal blood flow and cortical pressure autoregulation in contralateral kidneys of Goldblatt hypertensive rats, 67
Urinary kallikrein activity and renal vascular resistance in the antihypertensive response to thiazide diuretics, 139

Renal disease, end-stage
Blood concentration and urinary excretion of captopril (SQ 14,225) in patients with chronic renal failure, 456
Blood pressure response to hemodialysis, 333
Effect of hemodialysis on blood volume distribution and cardiac output, 327

Renal function
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Renal prostaglandin excretion and metabolism in male and female New Zealand normotensive and genetically hypertensive rats, 257

Renal hemodynamics
Role of endogenous prostaglandins in volume expansion and during furosemide infusion in conscious dogs, 59

Renal medulla
Analogs of phosphatidylcholine: α-adrenergic antagonists from the renal medulla, 460
Effect of salt on prostaglandin metabolism in hypertension-prone and -resistant Dahl rats, 219

Renal nerves
Renal sympathetic nerve activity and the exaggerated natriuresis of the spontaneous hypertensive rat, 134
Role of the renal nerves in the pathogenesis of one-kidney renal hypertension in the rat, 404

Renal vascular resistance
Impaired renal blood flow and cortical pressure autoregulation in contralateral kidneys of Goldblatt hypertensive rats, 67
Urinary kallikrein activity and renal vascular resistance in the antihypertensive response to thiazide diuretics, 139

Renal vasculature
Essential hypertension: abnormal renal vascular and endocrine responses to a mild psychological stimulus, 11

Renin
Acute and chronic intrarenal alpha- and beta-adrenergic receptor stimulation of renin release in the conscious dog, 615
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Dynamic responses of active and inactive renin in patients with essential and renovascular hypertension, 126
Low plasma renin activity in normotensive patients with diabetes mellitus: relationship to neuropathy, 87
Plasma epinephrine and norepinephrine concentrations in primary and secondary human hypertension, 373
Pressor factors and cardiovascular pressor responsiveness in borderline hypertension, 367
Renal artery stenosis with normal angiotensin II values. Relationship between angiotensin II and body sodium and potassium on correction of hypertension by captopril and subsequent surgery, 53
Responses of juxtaglomerular cell suspensions to various stimuli, 157
Role of endogenous prostaglandins in volume expansion and during furosemide infusion in conscious dogs, 59

Renin-angiotensin system
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Effect of potassium chloride on the blood pressure in two-kidney, one clip Goldblatt hypertensive rats, 566

Renin, inactive
Isolation and activation of inactive renin from human kidney and plasma. Plasma and renal inactive renins have different molecular weights, 509

Renin release
Responses of juxtaglomerular cell suspensions to various stimuli, 157

Riboflavin analogs
Antihypertensive effect of riboflavin analogs in rats with mineralocorticoid-induced hypertension, 75

Ribosome
Myofilament-polyribosome association in muscle cells of rat left atrium after short-term hypertension, 725

S

Salt loading
Does vasopressin contribute to salt-induced hypertension in the Dahl strain? 174
Effect of salt on prostaglandin metabolism in hypertension-prone and -resistant Dahl rats, 219
Evidence against a role of vasopressin in the maintenance of high blood pressure in mineralocorticoid and renovascular hypertension, 34
Sodium intake alters the effects of norepinephrine on blood pressure, 650
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306

Saralasin
Norepinephrine and renin activity in chronic renal failure. Evidence for interacting roles in hemodialysis hypertension, 294
Role of reactive hyperreninemia in blood pressure changes induced by sodium depletion in patients with refractory hypertension, 441

Sepharose 4B
Purification of tonin by affinity chromatography, 81

Serotonin
Clondine attenuation of a cardiogenic hypertensive chemoreflect, 240
Sheep, *see* Animal studies, sheep
Sialic acid
Isolation of aldosterone-stimulating factor (ASF) and its effect on rat adrenal glomerulosa cells in vitro, 4
Sinoaortic denervation
Continuous monitoring of arterial pressure indicates sinoaortic denervated rats are not hypertensive, 119
Skeletal muscle
Micropressure-flow relationships in a skeletal muscle of spontaneously hypertensive rats, 601
Smooth muscle
Adrenergic neurotransmission in vascular smooth muscle from spontaneously hypertensive rats, 93
The antihypertensive mechanism of clonidine in man. Evidence against a generalized reduction of sympathetic activity, 340
Basis for the altered arterial wall mechanics in the spontaneously hypertensive rat, 485
Effect of age and spontaneous hypertension on the tachyphylaxis to 5-hydroxytryptamine and angiotensin II in the isolated rat kidney, 718
Kinetics of active sodium transport in aortas from control and deoxycorticosterone hypertensive rats, 631
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306
Sodium balance
Antihypertensive effect of riboflavin analogs in rats with mineralocorticoid-induced hypertension, 75
Is vasopressin an important hypertensive hormone? 416
Overnight urines for assessment of change in sodium intake. Letter, 738
Renal prostaglandin excretion and metabolism in male and female New Zealand normotensive and genetically hypertensive rats, 257
Role of the renal nerves in the pathogenesis of one-kidney renal hypertension in the rat, 404
Sodium intake alters the effects of norepinephrine on blood pressure, 650
Sodium, body content of
Pressor factors and cardiovascular pressor responsiveness in borderline hypertension, 367
Renal artery stenosis with normal angiotensin II values. Relationship between angiotensin II and body sodium and potassium on correction of hypertension by captopril and subsequent surgery, 53
Sodium depletion
Angiotensin-converting enzyme inhibitor resets baroreceptor reflexes in conscious dogs, 676
Angiotensin I, II, and III in sheep. A model of angiotensin production and metabolism, 730
Effect of chronic sodium depletion on cerebrospinal fluid and plasma catecholamines, 233
Role of kinins in the acute antihypertensive effect of the converting enzyme inhibitor, captopril, 18
Role of reactive hyperreninemia in blood pressure changes induced by sodium depletion in patients with refractory hypertension, 441
Sodium excretion
Arterial pressure and exaggerated natriuresis in spontaneously hypertensive rats, 386
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Impaired renal blood flow and cortical pressure autoregulation in contralateral kidneys of Goldblatt hypertensive rats, 67
Prolonged isometric exercise. Part 1: Effect on circulation and on renal excretion of sodium and potassium in mild essential hypertension, 182
Prolonged isometric exercise. Part 2: Effect on circulation and on renal excretion of sodium and potassium in young males genetically predisposed to hypertension, 188
Sodium excretion and blood pressure, 318
Sodium pump activity
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306
Sodium retention
Effect of prostaglandin inhibition on the hypertensive action of sodium-retaining steroids, 622
Sodium transport
Kinetics of active sodium transport in aortas from control and deoxycorticosterone hypertensive rats, 631
Spanish population
Pediatric blood pressure: ethnic comparisons in a primary care center, 39
Sphygmomanometry
AHA committee report: Recommendations for human blood pressure determination by sphygmomanometers, 509A
Continuous monitoring of arterial pressure indicates sinoaortic denervated rats are not hypertensive, 119
Spontaneously-hypertensive rats (SHR), *see* Animal studies, rat
Sprague-Dawley rat
Effect of salt on prostaglandin metabolism in hypertension-prone and -resistant Dahl rats, 219
SQ 14,225, *see* Captopril
SQ 20,881, *see* Teprotide
Steroidogenic activity
Steroidogenic characteristics of a new aldosterone-stimulating factor (ASF) isolated from normal human urine, 300
Steroids, sodium-retaining
Effect of prostaglandin inhibition on the hypertensive action of sodium-retaining steroids, 622
Stress
Cardiovascular characteristics in adolescents who develop essential hypertension, 521
Effects of bromocriptine on responses to stress in spontaneously hypertensive rats, 544
Effects of stress on blood pressure and cardiac pathology in rats with borderline hypertension, 496
Impaired cardiac contractile response to isoproterenol in the spontaneously hypertensive rat, 380
Plasma norepinephrine during stress in essential hypertension, 551
Prolonged isometric exercise. Part 1: Effect on circulation and on renal excretion of sodium and potassium in mild essential hypertension, 182
Prolonged isometric exercise. Part 2: Effect on circulation and on renal excretion of sodium and potassium in young males genetically predisposed to hypertension, 188
Stroke volume
Effect of hemodialysis on blood volume distribution and cardiac output, 327
Submaxillary glands
Purification of tonin by affinity chromatography, 81
Supramedullary brain centers
Exaggerated sympathetic responses to bradykinin in spontaneously hypertensive rats, 433
Surgery
Renal artery stenosis with normal angiotensin II values. Relationship between angiotensin II and body sodium and potassium on correction of hypertension by captopril and subsequent surgery, 53
Swedish study
Sodium excretion and blood pressure, 318
Sympathetic nervous system
The antihypertensive mechanism of clonidine in man. Evidence against a generalized reduction of sympathetic activity, 340
Clondine attenuation of a cardiogenic hypertensive chemoreflect, 240
Essential hypertension with low conjugated catecholamines imitates pheochromocytoma, 347
Exaggerated sympathetic responses to bradykinin in spontaneously hypertensive rats, 433
Influence of hospitalization and placebo therapy on blood pressure and sympathetic function in essential hypertension, 113
Norepinephrine kinetics in essential hypertension. Defective neuronal uptake of norepinephrine in some patients, 149
Plasma epinephrine and norepinephrine concentrations in primary and secondary human hypertension, 373
A possible antihypertensive mechanism of propranolol: antagonism of angiotensin II enhancement of sympathetic nerve transmission through prostaglandins, 23

Pre- and postcapillary vascular responses to sympathetic nerve stimulation in DOCA-hypertensive dogs, 471
Pressor responses to centrally-administered prostaglandin E_2 in spontaneously hypertensive rats, 426
Renal sympathetic nerve activity and the exaggerated natriuresis of the spontaneous hypertensive rat, 134
Role of the renal nerves in the pathogenesis of one-kidney renal hypertension in the rat, 404
Sodium intake alters the effects of norepinephrine on blood pressure, 650

Sympatholytic agents
Role of reactive hyperreninemia in blood pressure changes induced by sodium depletion in patients with refractory hypertension, 441

Synaptosomal fraction
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 1. Mesenteric artery, 704
Altered in vitro uptake of norepinephrine by cardiovascular tissues of spontaneously hypertensive rats. Part 2. Portal-mesenteric veins and atria, 710

T

Tachyphylaxis
Effect of age and spontaneous hypertension on the tachyphylaxis to 5-hydroxytryptamine and angiotensin II in the isolated rat kidney, 718

Tail artery
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306

Teprotide
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285
Comparative effects of teprotide and captopril. Letter, 277

Therapy
Management of the hypertensive patient: a continuing dilemma, 192
Oxprenolol vs propranolol: a randomized, double-blind, multiclinic trial in hypertensive patients taking hydrochlorothiazide, 250

Thiazide
Urinary kallikrein activity and renal vascular resistance in the antihypertensive response to thiazide diuretics, 139

Tissue compliance
Whole-body venous capacity and effective total tissue compliance in SHR, 104

Tonin
Purification of tonin by affinity chromatography, 81

Total peripheral resistance
Blood pressure response to hemodialysis, 333

Trial, multiclinic
Oxprenolol vs propranolol: a randomized, double-blind, multiclinic trial in hypertensive patients taking hydrochlorothiazide, 250

U

Ultrastructure, endothelial permability pathways
Ultrastructural characteristics of endothelial permeability pathways in chronic hypertension, 586

Ultrastructure, heart
Myofilament-polyribosome association in muscle cells of rat left atrium after short-term hypertension, 725

Urinary vasoactive fraction
Defect in the excretion of a vasoactive polypeptide fraction. A possible genetic marker of primary hypertension, 574

Urine excretion
Blood concentration and urinary excretion of captopril (SQ 14,225) in patients with chronic renal failure, 456
Overnight urines for assessment of change in sodium intake. Letter, 738

Urine flow
Bilateral renal function responses to converting enzyme inhibitor (SQ 20,881) in two-kidney, one clip Goldblatt hypertensive rats, 285

Urine, human
Steroidogenic characteristics of a new aldosterone-stimulating factor (ASF) isolated from normal human urine, 300

V

Vascular capacitance
Diazoxide disposition and effect on vascular resistance and compliance in dogs, 225

Vascular muscle
Effect of chronic treatment of spontaneously hypertensive rats with D 600, 657
Effect of cross-transplantation on normotensive and spontaneously hypertensive rat arterial muscle membrane, 534

Vascular reactivity
Adrenergic neurotransmission in vascular smooth muscle from spontaneously hypertensive rats, 93

Vascular resistance
Diazoxide disposition and effect on vascular resistance and compliance in dogs, 225
Hemodynamic responses to bilateral lesions of the nucleus tractus solitarii in spontaneously hypertensive and normotensive rats, 362
Micropressure-flow relationships in a skeletal muscle of spontaneously hypertensive rats, 601
Pre- and postcapillary vascular responses to sympathetic nerve stimulation in DOCA-hypertensive dogs, 471
Prolonged exposure to ouabain eliminates the greater norepinephrine-dependent calcium sensitivity of resistance vessels in spontaneously hypertensive rats, 691

Vasoactivity
Defect in the excretion of a vasoactive polypeptide fraction. A possible genetic marker of primary hypertension, 574

Vasoconstriction
Effect of age and spontaneous hypertension on the tachyphylaxis to 5-hydroxytryptamine and angiotensin II in the isolated rat kidney, 718
A possible antihypertensive mechanism of propranolol: antagonism of angiotensin II enhancement of sympathetic nerve transmission through prostaglandins, 23

Vasodepressor response
Does vasopressin contribute to salt-induced hypertension in the Dahl strain? 174

Vasopressin
Does vasopressin contribute to salt-induced hypertension in the Dahl strain? 174
Evidence against a role of vasopressin in the maintenance of high blood pressure in mineralocorticoid and renovascular hypertension, 34
Is vasopressin an important hypertensive hormone? 416
Pressor responses to centrally-administered prostaglandin E_2 in spontaneously hypertensive rats, 426
Vasopressin release does not contribute to pressor action of enkephalin in SHR, 410

Vesicles, inside-out
Analysis of calcium handling in erythrocyte membranes of genetically hypertensive rats, 397

Veterans Administration study
Management of the hypertensive patient: a continuing dilemma, 192

Volume expansion
Renal sympathetic nerve activity and the exaggerated natriuresis of the spontaneous hypertensive rat, 134
Role of endogenous prostaglandins in volume expansion and during furosemide infusion in conscious dogs, 59
Sodium pump activity in arteries of Dahl salt-sensitive rats, 306

W

Water balance
Is vasopressin an important hypertensive hormone? 416
Whole-body venous capacity
Whole-body venous capacity and effective total tissue compliance in SHR, 104
Wistar-Kyoto rats
Arterial pressure and exaggerated natriuresis in spontaneously hypertensive rats, 386
Hemodynamic responses to bilateral lesions of the nucleus tractus solitarii in spontaneously hypertensive and normotensive rats, 362
Noradrenergic mechanisms in the brain and peripheral organs of normotensive and spontaneously hypertensive rats at various ages, 682
Wistar rat
Noradrenergic mechanisms in the brain and peripheral organs of normotensive and spontaneously hypertensive rats at various ages, 682
Systemic and regional hemodynamic changes associated with anterior hypothalamic lesions in conscious rats, 245
Work
Cost-effectiveness of a worksite hypertension treatment program, 211

Y

Young men
Management of the hypertensive patient: a continuing dilemma, 192

SUPPLEMENTS TO HYPERTENSION VOL 3, JANUARY-DECEMBER 1981

SUPPLEMENT I
PATHOPHYSIOLOGY OF HYPERTENSION

SUPPLEMENT II
PROCEEDINGS OF THE IV SCIENTIFIC MEETING OF THE INTERAMERICAN SOCIETY OF HYPERTENSION

Author Index

A

Ajzen H, II-46
Albertini R, II-50
Alderman MH, II-242
Almeida FA, II-46
Amann FW, I-119
Anção MS, II-233
Andy OJ, I-74
Angelakos E, II-195
Antonaccio MJ, I-54, II-211
Armando MI, II-155
Asenjo F, II-50
Atlas SA, I-30

B

Barger AC, I-63
Barnes KL, II-112
Barontini MB, II-155
Bartter FC, I-69
Bas J, II-134
Basso N, II-14, II-183, II-205
Beierwaltes WH, II-30
Ben-Ishay D, I-179
Beretta-Piccoli C, I-87
Biglieri EG, II-102
Binia A, II-166
Bohonek S, II-112
Bohr DF, II-160
Bolli P, I-119
Borić M, II-50
Bornheimer J, II-119
Bourque M, II-129
Bravo EL, I-81, II-216
Brenner BM, II-81
Britos J, II-42
Brody MJ, I-1, I-124
Brooks B, I-107, II-75
Brosnihan KB, II-151
Brown JJ, I-87
Brown PS, II-75
Buggy J, II-96
Bühler FR, I-119
Bumpus FM, I-81
Burge H, II-200
Burucua JE, II-155
Busija D, I-124
Buu NT, II-129
Byers LW, I-107, II-75

C

Caeiro TF, II-134
Cangiano JL, II-86
Carey RM, II-18
Carlson EJ, I-22
Carretero OA, I-4
Castillo GA, II-92
Chaves CC, II-233
Chobanian AV, I-148
Clough D, II-96
Clough DL, I-173
Connors BA, I-154
Corthorn J, II-39
Cowley AW Jr, I-93
Crofton JT, II-71
Croxatto HR, II-55
Cruz-Coke R, II-191
Cumming AMM, I-87
Cushman WC, I-93

D

Davis T, II-242
de Champlain J, II-124
de la Riva IJ, II-205
Debert Ribeiro MB, II-233
Denis G, II-124
DeQuattro V, II-119
Desiderio D Jr, I-107
Dharmgrongartama B, I-30
Domingeuz Mon M, II-205
Dreslinski GR, II-226
Dzau VJ, I-63, II-4

E

Erdös EG, I-50, II-59
Espinosa de Restrepo H, II-245
Espinoza P, II-55
Eto T, II-200
Evan AP, I-154

F

Falkner B, II-195
Farhi ER, I-63

Fasciolo JC, II-166
Feldstein CA, II-155
Ferrario CM, II-25, II-112, II-151
Filho GA, II-142
Flanagan PT, II-187
Fouad FM, II-216
Franco RJS, II-233
Franco-Saenz R, I-13
Fraser R, I-87
Freedlender AE, II-18
Freis ED, II-230
Frohlich ED, II-226

G

Gafford JT, I-50
Garay RP, I-179
Garcia R, I-101, II-9
Gattone V, I-154
Genest J, I-101, II-9, II-129
Gerber S, II-222
Gilbert BW, II-187
Gordon FJ, I-135
Goto A, I-128
Gutkowsha J, II-9

H

Haber E, II-4
Haddy FJ, I-173, II-96
Hamet P, II-129
Haudenschild CC, I-148
Hauger-Klevene JH, II-222
Haynes RB, II-187
Heistad D, I-124
Hesson TE, I-30
Hoobler SW, II-200
Horovitz ZP, II-71
Hsueh WA, I-22
Huot SJ, I-173, II-96
Husserl FE, II-226

I

Iosa DJ, II-134
Israel-Hagman M, I-22
Iunes M, II-233
Iwai J, I-128

K

Kaiser DL, II-18
Kapler G, II-4
Kater CE, II-233
Kerwin L, I-54
Khosla MC, II-25
Kiowski W, I-119
Kohlmann O Jr, II-107, II-233
Kolloch R, I-18
Kotler D, II-211
Krieger EM, II-147, II-177
Krueck F, I-18
Krutzik S, I-162
Kuchel O, II-129
Kutz M, II-238

L

Ladrón de Guevara R, II-50
Lama MC, II-35
Langer SZ, I-112
Langford HG, I-74, I-93
Laragh JH, I-30
Larochelle P, II-129
Lavallée M, II-124
Lever AF, I-87
Levin GM, II-155
Levine D, II-119
Lis M, II-9
Logan AG, II-187
Lopez JM, II-102
Luft FC, I-154

M

MacPhee AA, II-226
Madey MA, I-41
Madhavan S, II-242
Mangiarua E, II-14, II-183
Manning M, II-71
Marchezotti A, II-155
Margolius HS, II-92
Mark AL, I-135
Marson O, II-107, II-142, II-233
Martinez-Maldonado M, II-86
Mason PA, I-87
Massingham R, I-112
Matsuguchi H, I-135
Mayne D, II-238
McCaa CS, I-74
McCaa RE, I-74
McCarron DA, I-154, I-162
Mendonca MD, I-179
Messerli FH, II-226
Meyer P, I-179
Michelini LC, II-177
Milne BJ, II-187
Mizoguchi H, I-63
Montalvo JM, I-74
Monti A, II-238
Moore R, II-55
Morera S, II-205
Morton JJ, I-87
Mudgett-Hunter M, II-4
Muirhead EE, I-2, I-107, II-75
Muldoon SM, I-173
Mulrow PJ, I-13

N

Nadeau RA, II-124
Nakamura Y, I-41
Neto CS, II-233
Nishimura H, I-41
Nolly H, II-35, II-42
Norero C, II-238
Nunes SF, II-233

O

Olivieri A, II-155
Olson PS, II-30
Onesti G, II-195
Opava-Stitzer S, II-86
Orce GG, II-92
Ortt EM, II-18
Overlack A, I-18

P

Page DS, II-59
Palmero HA, II-134
Pamnani MB, I-173, II-96
Peach MJ, II-18
Perez-Olea J, II-138
Petty MA, I-142
Pinkas MB, II-222
Pitcock JA, II-75
Prescott MF, I-148
Prewitt RL, I-107
Procci W, II-119

Q

Quevedo M, II-138
Quillen EW Jr, I-93

R

Ramos OL, II-107, II-142, II-233
Rapp JP, I-168
Read VH, I-74
Reid JL, I-142
Ressel C, I-18
Ribeiro AB, II-46, II-107, II-142, II-233
Robertson JIS, I-87
Roblero J, II-39
Rockhold RW, II-71
Rodriguez JA, II-102
Rodriguez-Sargent C, II-86
Romero JC, II-30
Rosas R, II-1, II-2
Rosen S, I-63
Rosón MI, II-205
Rubin B, II-211
Ruiz P, II-14, II-183

S

Saavedra JM, II-151
Sadoshima S, I-124
Saito R, II-238
Salgado HC, II-147
Saragoça MAS, II-107, II-142, II-171, II-233
Sawyer WH, II-71
Schiffrin EL, I-101, II-9
Schoentgen S, II-119
Schor N, II-81
Schryver S, II-30
Schulz WW, II-59
Scicli AG, I-4
Sealey JE, I-30
Sen S, I-81
Share L, II-71
Shepperson NB, I-112
Silva R, II-138
Siwek LG, I-63
Skelton MM, I-93
Smeby R, I-81
Smith KA, I-107
Spech MM, II-25
Speth RC, II-25, II-151
Steffen RP, I-173
Stella RCR, II-46
Stewart TA, I-50
Stumpe KO, I-18
Suarez DH, II-226
Sullivan P, II-119
Suzuki S, I-13

T

Tan SY, I-13
Taquini AC, II-14, II-183, II-205
Tarazi RC, II-171, II-216
Taylor AA, I-41
Terragno NA, II-65
Thibault G, I-101
Tobian L, I-128
Tufik S, II-142

U

Ugoretz BA, I-162

V

Valdés G, II-55
Valenzuela R, I-81
Van der Meulen J, II-119
Vargas NA, II-238
Vilches A, II-155
Voos A, II-46

W

Wang BC, II-71
Weare JA, I-50
Welk R, II-200
Willis LR, I-154
Wilson TA, II-18
Wright EM Jr, II-18

Y

Yamada K, II-59
Yung NN, I-162

Z

Zanella MT, II-216, II-233

SUPPLEMENTS TO HYPERTENSION VOL 3, JANUARY-DECEMBER 1981

SUPPLEMENT I
PATHOPHYSIOLOGY OF HYPERTENSION

SUPPLEMENT II
PROCEEDINGS OF THE IV SCIENTIFIC MEETING
OF THE INTERAMERICAN
SOCIETY OF HYPERTENSION

Subject Index

A

Acetylimidazole
Inhibition of human converting enzyme in vitro by a novel tripeptide analog, I-50
Acid activation
Mechanism of acid-activation of renin: role of kallikrein in renin activation, I-22
Active center inhibitors
Inhibition of human converting enzyme in vitro by a novel tripeptide analog, I-50
Adolescents
Blood pressure levels in urban school-age population in Chile, II-238
Effect of salt loading on the cardiovascular response to stress in adolescents, II-195
Aldosterone-stimulating factor
Localization, purification, and biological activity of a new aldosterone-stimulating factor, I-81
Adrenal gland
Effect of renal nerve stimulation on urine and tissue kininogenase activity in cats, II-50
Effects of tonin on the adrenal secretion in the rat, II-9
Localization, purification, and biological activity of a new aldosterone-stimulating factor, I-81
Adrenergic responses
Left ventricular hypertrophy in rats with renovascular hypertension. Alterations in cardiac function and adrenergic responses, II-171
Adrenocorticotropic hormone (ACTH)
Effects of tonin on the adrenal secretion in the rat, II-9
Regulation of aldosterone biosynthesis during sodium deficiency. Evidence for an essential role of the pituitary gland, I-74
Age
Antiadrenergic therapy: special aspects in hypertension in the elderly, II-226
Aortic endothelial and subendothelial cells in experimental hypertension and aging, I-148
Vasopressin elevation in essential hypertension and increased responsiveness to sodium intake, I-93
Aldosterone
DOCA test for aldosteronism: its usefulness and implications, II-102
Effects of tonin on the adrenal secretion in the rat, II-9
Renal Na^+-K^+-ATPase in Okamoto and Dahl hypertensive rats, II-86
Aldosterone, plasma
Regulation of aldosterone biosynthesis during sodium deficiency. Evidence for an essential role of the pituitary gland, I-74
Response of aldosterone and 18-hydroxycorticosterone to angiotensin II in normal subjects and patients with essential hypertension, Conn's syndrome, and nontumorous hyperaldosteronism, I-87
Aldosteronism
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Alkalosis, hypokalemic
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Alkyl ethers
Alkyl ether analogs of phosphatidylcholine are orally active in hypertensive rabbits, I-107
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Alpha-adrenergic receptors
Blood pressure and prolactin: effects of guanfacine. Three-year follow-up study, II-222
Enhanced alpha-adrenoreceptor-mediated vasoconstriction in essential hypertension, I-119
Preferential noradrenergic innervation of alpha-adrenergic receptors in vascular smooth muscle, I-112
Aminopeptidase
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Amphibian membranes
Kallikrein inhibitors decrease short-circuit current by inhibiting sodium uptake, II-92
Anastomosis, uterocaval
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Anger
Anxiety, anger, and neurogenic tone at rest and in stress in patients with primary hypertension, II-119
Angiotensin
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Angiotensin antagonist
Renin-angiotensin and adrenergic mechanisms in control of blood pressure in fowl, I-41
Angiotensin I
Angiotensin I, II, and III tachyphylaxis in the mesenteric vascular circuit of the rat, II-166
Inhibition of human converting enzyme in vitro by a novel tripeptide analog, I-50
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14
Angiotensin II
Angiotensin I, II, and III tachyphylaxis in the mesenteric vascular circuit of the rat, II-166
Effects of captopril on vascular reactivity of SHR in vivo and in vitro, II-211
Effects of tonin on the adrenal secretion in the rat, II-9
Enhancement of blood pressure response to dopamine by angiotensin II, II-138
Importance of plasma angiotensin concentrations in a comparative study of responses to angiotensin in the maturing newborn lamb, II-18
Possible mechanism of prostaglandin-induced renal vasoconstriction in the rat, II-81
Potassium feeding reduces hyperactive central nervous system pressor responses in Dahl salt-sensitive rats, I-128

Pre- and postjunctional inhibition of vascular sympathetic function by captopril in SHR. Implication of vascular angiotensin II in hypertension and antihypertensive actions of captopril, I-54
Rat (Ile^5) but not bovine (Val^5) angiotensin raises plasma norepinephrine in rats, II-25
Regulation of aldosterone biosynthesis during sodium deficiency. Evidence for an essential role of the pituitary gland, I-74
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14
Response of aldosterone and 18-hydroxycorticosterone to angiotensin II in normal subjects and patients with essential hypertension, Conn's syndrome, and nontumorous hyperaldosteronism, I-87
Sequential renal hemodynamics in experimental benign and malignant hypertension, I-63

Angiotensin III
Angiotensin I, II, and III tachyphylaxis in the mesenteric vascular circuit of the rat, II-166

Angiotensin receptors
Rat (Ile^5) but not bovine (Val^5) angiotensin raises plasma norepinephrine in rats, II-25

Animal studies, cat
Effect of renal nerve stimulation on urine and tissue kininogenase activity in cats, II-50

Animal studies, chicken
Renin-angiotensin and adrenergic mechanisms in control of blood pressure in fowl, I-41

Animal studies, cow
Rat (Ile^5) but not bovine (Val^5) angiotensin raises plasma norepinephrine in rats, II-25

Animal studies, dog
Catecholamines and serotonin in the area postrema of normal and sodium-depleted dogs, II-151
Neurogenic hypertension produced by lesions of the nucleus tractus solitarii alone or with sinoaortic denervation in the dog, II-112
Preferential noradrenergic innervation of alpha-adrenergic receptors in vascular smooth muscle, I-112
Sequential renal hemodynamics in experimental benign and malignant hypertension, I-63

Animal studies, lamb
Importance of plasma angiotensin concentrations in a comparative study of responses to angiotensin in the maturing newborn lamb, II-18

Animal studies, pig
What makes the pressure go up? A hypothesis, II-160

Animal studies, rabbit
Alkyl ether analogs of phosphatidylcholine are orally active in hypertensive rabbits, I-107
Opiate analogs, substance P, and baroreceptor reflexes in the rabbit, I-142

Animal studies, rat
Abnormal baroreflex control of heart rate in prehypertensive and hypertensive Dahl genetically salt-sensitive rats, I-135
Active and inactive kallikrein released by kidney slices from normotensive and hypertensive rats, II-35
Angiotensin I, II, and III tachyphylaxis in the mesenteric vascular circuit of the rat, II-166
Antihypertensive effect of transplant of rat kidney or its unclipping. Hemodynamic effects and control mechanisms, II-200
Aortic responses to vanadate: independence from (Na, K)-ATPase and comparison of Dahl salt-sensitive and salt-resistant rats, I-168
Baroreceptor resetting during pressure recovery from hypotension, II-147
Control of renin release in isolated rat glomeruli, II-30
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Demonstration of a humoral inhibitor of the Na^+-K^+ pump in some models of experimental hypertension, II-96
Direct action of kallikrein and other proteases on the renin-angiotensin system, I-13
Disturbances of calcium metabolism in the spontaneously hypertensive rat, I-162
Effect of intracerebroventricular captopril on vasopressin and blood pressure in spontaneously hypertensive rats, II-71
Effect of prolonged dietary administration of vanadate on blood pressure in the rat, I-173
Effects of tonin on the adrenal secretion in the rat, II-9
Enhancement of blood pressure response to dopamine by angiotensin II, II-138
The glomerular filtration barrier in the spontaneously hypertensive rat, I-154
Initial mechanisms in hypertension after bilateral renal ischemia in the rat, II-205
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59
Kinin-forming enzyme of rat cardiac tissue. Subcellular distribution and biochemical properties, II-42
Left ventricular hypertrophy in rats with renovascular hypertension. Alterations in cardiac function and adrenergic responses, II-171
Mechanoelastic properties of the aorta in chronically hypertensive conscious rats, II-177
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107
Monoclonal antibodies binding renal renin, II-4
Possible mechanism of prostaglandin-induced renal vasoconstriction in the rat, II-81
Potassium feeding reduces hyperactive central nervous system pressor responses in Dahl salt-sensitive rats, I-128
Pre- and postjunctional inhibition of vascular sympathetic function by captopril in SHR. Implication of vascular angiotensin II in hypertension and antihypertensive actions of captopril, I-54
Rat (Ile^5) but not bovine (Val^5) angiotensin raises plasma norepinephrine in rats, II-25
Release of activatable kallikrein by isolated rat kidneys, II-39
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142
Sympathetic nerves protect against stroke in stroke-prone hypertensive rats. A preliminary report, I-124

Animal studies, toad
Kallikrein inhibitors decrease short-circuit current by inhibiting sodium uptake, II-92

Anteroventral third ventricle
Demonstration of a humoral inhibitor of the Na^+-K^+ pump in some models of experimental hypertension, II-96
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142

Antiadrenergic treatment
Antiadrenergic therapy: special aspects in hypertension in the elderly, II-226

Antibodies
Monoclonal antibodies binding renal renin, II-4

Antidiuretic hormone
Effect of intracerebroventricular captopril on vasopressin and blood pressure in spontaneously hypertensive rats, II-71
Prostaglandins, antidiuretic hormone, and renin angiotensin system, II-65

Antihypertension action
Alkyl ether analogs of phosphatidylcholine are orally active in hypertensive rabbits, I-107

Antihypertensive neutral renomedullary lipid (ANRL)
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75

Anxiety
Anxiety, anger, and neurogenic tone at rest and in stress in patients with primary hypertension, II-119

Aorta
Aortic responses to vanadate: independence from (Na, K)-ATPase and comparison of Dahl salt-sensitive and salt-resistant rats, I-168
Effects of captopril on vascular reactivity of SHR in vivo and in vitro, II-211
Mechanoelastic properties of the aorta in chronically hypertensive conscious rats, II-177

Aortic cells
Aortic endothelial and subendothelial cells in experimental hypertension and aging, I-148
Apical barrier
Kallikrein inhibitors decrease short-circuit current by inhibiting sodium uptake, II-92
Aprotinin
Kallikrein inhibitors decrease short-circuit current by inhibiting sodium uptake, II-92
Area postrema
Catecholamines and serotonin in the area postrema of normal and sodium-depleted dogs, II-151
Arginine
Vasopressin elevation in essential hypertension and increased responsiveness to sodium intake, I-93
Arginine chloromethyl ketones
Kallikrein inhibitors decrease short-circuit current by inhibiting sodium uptake, II-92
Arterial pressure
Baroreceptor resetting during pressure recovery from hypotension, II-147
Neurogenic hypertension produced by lesions of the nucleus tractus solitarii alone or with sinoaortic denervation in the dog, II-112
Arterial reactivity
Effects of tonin, an angiotensin II-forming enzyme, on vascular smooth muscle in the normal rabbit, I-101
ATPase
Aortic responses to vanadate: independence from (Na, K)-ATPase and comparison of Dahl salt-sensitive and salt-resistant rats, I-168
Effect of prolonged dietary administration of vanadate on blood pressure in the rat, I-173
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59
Renal Na^+-K^+-ATPase in Okamoto and Dahl hypertensive rats, II-86
Atropine
Autonomic dysfunctions in human hypertension, II-124
Autonomic nervous system dysfunction
Autonomic dysfunctions in human hypertension, II-124
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107

B

Baroreceptor reflexes
Baroreceptor reflex sensitivity index derived from phase 4 of the Valsalva maneuver, II-134
Baroreceptor resetting during pressure recovery from hypotension, II-147
Neurogenic hypertension produced by lesions of the nucleus tractus solitarii alone or with sinoaortic denervation in the dog, II-112
Baroreceptor resetting
Mechanoelastic properties of the aorta in chronically hypertensive conscious rats, II-177
Baroreflex
Abnormal baroreflex control of heart rate in prehypertensive and hypertensive Dahl genetically salt-sensitive rats, I-135
Opiate analogs, substance P, and baroreceptor reflexes in the rabbit, I-142
Bartter's syndrome
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Basolateral membrane
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59
Beta adrenergic activity
Control of renin release in isolated rat glomeruli, II-30
Sympathetic nervous system response to graded exercise: effect of beta-blockade, II-155
Blood flow
Enhanced alpha-adrenoreceptor-medicated vasoconstriction in essential hypertension, I-119
Blood pressure regulation
Aortic endothelial and subendothelial cells in experimental hypertension and aging, I-148
Opiate analogs, substance P, and baroreceptor reflexes in the rabbit, I-142
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Potassium feeding reduces hyperactive central nervous system pressor responses in Dahl salt-sensitive rats, I-128
Blood pressure response
Effect of salt loading on the cardiovascular response to stress in adolescents, II-195
Enhancement of blood pressure response to dopamine by angiotensin II, II-138
Body weight
Effect of prolonged dietary administration of vanadate on blood pressure in the rat, I-173
Bradykinin
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Direct action of kallikrein and other proteases on the renin-angiotensin system, I-13
Inhibition of human converting enzyme in vitro by a novel tripeptide analog, I-50
Kinin-forming enzyme of rat cardiac tissue. Subcellular distribution and biochemical properties, II-42
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Brain
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14

C

Calcium
Control of renin release in isolated rat glomeruli, II-30
Calcium antagonist
Effects of tonin, an angiotensin II-forming enzyme, on vascular smooth muscle in the normal rabbit, I-101
Calcium metabolism
Disturbances of calcium metabolism in the spontaneously hypertensive rat, I-162
Captopril
Angiotensin I, II, and III tachyphylaxis in the mesenteric vascular circuit of the rat, II-166
Effect of intracerebroventricular captopril on vasopressin and blood pressure in spontaneously hypertensive rats, II-71
Effects of captopril on vascular reactivity of SHR in vivo and in vitro, II-211
Inhibition of human converting enzyme in vitro by a novel tripeptide analog, I-50
Long-term converting enzyme inhibition and sympathetic nerve function in hypertensive humans, II-216
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107
Pre- and postjunctional inhibition of vascular sympathetic function by captopril in SHR. Implication of vascular angiotensin II in hypertension and antihypertensive actions of captopril, I-54
Renin-angiotensin and adrenergic mechanisms in control of blood pressure in fowl, I-41
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142
Cardiac function
Antihypertensive effect of transplant of rat kidney or its unclipping. Hemodynamic effects and control mechanisms, II-200
Left ventricular hypertrophy in rats with renovascular hypertension. Alterations in cardiac function and adrenergic responses, II-171
Cardiac kinin-generating enzyme
Kinin-forming enzyme of rat cardiac tissue. Subcellular distribution and biochemical properties, II-42

Cardiovascular center
What makes the pressure go up? A hypothesis, II-160
Cardiovascular response
Effect of salt loading on the cardiovascular response to stress in adolescents, II-195
Catecholamines
Autonomic dysfunctions in human hypertension, II-124
Catecholamines and serotonin in the area postrema of normal and sodium-depleted dogs, II-151
Effect of renal nerve stimulation on urine and tissue kininogenase activity in cats, II-50
Rat (Ile^5) but not bovine (Val^5) angiotensin raises plasma norepinephrine in rats, II-25
Renin-angiotensin and adrenergic mechanisms in control of blood pressure in fowl, I-41
Sympathetic nervous system response to graded exercise: effect of beta-blockade, II-155
Cation transport
Abnormal erythrocyte cation transport in primary hypertension. Clinical and experimental studies, I-179
Central nervous system
Opiate analogs, substance P, and baroreceptor reflexes in the rabbit, I-142
Potassium feeding reduces hyperactive central nervous system pressor responses in Dahl salt-sensitive rats, I-128
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142
Chagas' disease
Baroreceptor reflex sensitivity index derived from phase 4 of the Valsalva maneuver, II-134
Chile School-Age Population study
Blood pressure levels in urban school-age population in Chile, II-238
Chromatography, affinity
Detection and isolation of inactive, large molecular weight renin in human kidney and plasma, I-30
Chromatography, high pressure liquid
Localization, purification, and biological activity of a new aldosterone-stimulating factor, I-81
Circulation
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Collecting duct
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Compliance
Four-year experience in a hypertension control program. Operations aspects, II-245
Conn's syndrome
Response of aldosterone and 18-hydroxycorticosterone to angiotensin II in normal subjects and patients with essential hypertension, Conn's syndrome, and nontumorous hyperaldosteronism, I-87
Contractile reserve
Left ventricular hypertrophy in rats with renovascular hypertension. Alterations in cardiac function and adrenergic responses, II-171
Contractility
Early effects of mild hypertension on the heart. A longitudinal study, II-187
Effects of captopril on vascular reactivity of SHR in vivo and in vitro, II-211
Control mechanisms, blood pressure
Antihypertensive effect of transplant of rat kidney or its unclipping. Hemodynamic effects and control mechanisms, II-200
Converting enzyme activity
Angiotensin I, II, and III tachyphylaxis in the mesenteric vascular circuit of the rat, II-166
Effects of captopril on vascular reactivity of SHR in vivo and in vitro, II-211
Importance of plasma angiotensin concentrations in a comparative study of responses to angiotensin in the maturing newborn lamb, II-18
Inhibition of human converting enzyme in vitro by a novel tripeptide analog, I-50
Long-term converting enzyme inhibition and sympathetic nerve function in hypertensive humans, II-216
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Corcoran, Arthur C., memorial lecture
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Cortisol, plasma
Regulation of aldosterone biosynthesis during sodium deficiency. Evidence for an essential role of the pituitary gland, I-74

D

Dahl rat
Abnormal baroreflex control of heart rate in prehypertensive and hypertensive Dahl genetically salt-sensitive rats, I-135
Aortic responses to vanadate: independence from (Na, K)-ATPase and comparison of Dahl salt-sensitive and salt-resistant rats, I-168
Renal Na^+-K^+-ATPase in Okamoto and Dahl hypertensive rats, II-86
Deoxycorticosterone (DOC)
Aortic endothelial and subendothelial cells in experimental hypertension and aging, I-148
Deoxycorticosterone acetate (DOCA)
DOCA test for aldosteronism: its usefulness and implications, II-102
Deoxyribonucleic acid (DNA)
Vascular structural changes in DOC-salt hypertensive rats, II-183
Diastolic hypertension
Blood pressure levels in urban school-age population in Chile, II-238
Diet
Disturbances of calcium metabolism in the spontaneously hypertensive rat, I-162
Potassium feeding reduces hyperactive central nervous system pressor responses in Dahl salt-sensitive rats, I-128
Distensibility
Mechanoelastic properties of the aorta in chronically hypertensive conscious rats, II-177
Diuretics
Blood pressure and prolactin: effects of guanfacine. Three-year follow-up study, II-222
Catecholamines and serotonin in the area postrema of normal and sodium-depleted dogs, II-151
Profile of hypertensives as a determinant of long-term antihypertensive medication needs, II-242
Dopamine
Catecholamines and serotonin in the area postrema of normal and sodium-depleted dogs, II-151
Enhancement of blood pressure response to dopamine by angiotensin II, II-138
Drug regimen
Profile of hypertensives as a determinant of long-term antihypertensive medication needs, II-242

E

Echocardiography
Early effects of mild hypertension on the heart. A longitudinal study, II-187
Education programs
Four-year experience in a hypertension control program. Operations aspects, II-245

Elderly
Antiadrenergic therapy: special aspects in hypertension in the elderly, II-226
Electrical stimulation
Effect of renal nerve stimulation on urine and tissue kininogenase activity in cats, II-50
Electrolytes
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Electrolytic transducer
Mechanoelastic properties of the aorta in chronically hypertensive conscious rats, II-177
Endothelial cells
Aortic endothelial and subendothelial cells in experimental hypertension and aging, I-148
Endothelial fenestrae, renal
The glomerular filtration barrier in the spontaneously hypertensive rat, I-154
Enkephalins, substance P
Opiate analogs, substance P, and baroreceptor reflexes in the rabbit, I-142
Environmental influence
Etiology of essential hypertension, II-191
Enzymes, renal
Active and inactive kallikrein released by kidney slices from normotensive and hypertensive rats, II-35
Prostaglandins, antidiuretic hormone, and renin angiotensin system, II-65
Renal Na^+-K^+-ATPase in Okamoto and Dahl hypertensive rats, II-86
Epinephrine
Anxiety, anger, and neurogenic tone at rest and in stress in patients with primary hypertension, II-119
Autonomic dysfunctions in human hypertension, II-124
Catecholamines and serotonin in the area postrema of normal and sodium-depleted dogs, II-151
Epinephrine conjugation defect
Unconjugated hyperepinephrinemia: a hallmark of hypertension imitating pheochromocytoma? II-129
Erythrocytes
Abnormal erythrocyte cation transport in primary hypertension. Clinical and experimental studies, I-179
Etiology
Etiology of essential hypertension, II-191
Exercise, bicycle
Sympathetic nervous system response to graded exercise: effect of beta-blockade, II-155
Exercise, isometric
Anxiety, anger, and neurogenic tone at rest and in stress in patients with primary hypertension, II-119

F

Fiber shortening
Early effects of mild hypertension on the heart. A longitudinal study, II-187

G

Gallus gallus
Renin-angiotensin and adrenergic mechanisms in control of blood pressure in fowl, I-41
Ganglionic blockade
Abnormal baroreflex control of heart rate in prehypertensive and hypertensive Dahl genetically salt-sensitive rats, I-135
Genetics
Abnormal erythrocyte cation transport in primary hypertension. Clinical and experimental studies, I-179
Effect of salt loading on the cardiovascular response to stress in adolescents, II-195
Etiology of essential hypertension, II-191
Glomerular filtration barrier
The glomerular filtration barrier in the spontaneously hypertensive rat, I-154
Glomeruli
Control of renin release in isolated rat glomeruli, II-30
Possible mechanism of prostaglandin-induced renal vasoconstriction in the rat, II-81
Glucocorticoid activity
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142
Grollman, Arthur
In memoriam: scientific contributions of Arthur Grollman, I-2
Guanfacine
Blood pressure and prolactin: effects of guanfacine. Three-year follow-up study, II-222

H

Head tilt
Long-term converting enzyme inhibition and sympathetic nerve function in hypertensive humans, II-216
Heart function
Early effects of mild hypertension on the heart. A longitudinal study, II-187
Enhancement of blood pressure response to dopamine by angiotensin II, II-138
Heart rate
Abnormal baroreflex control of heart rate in prehypertensive and hypertensive Dahl genetically salt-sensitive rats, I-135
Heart weight
Effect of prolonged dietary administration of vanadate on blood pressure in the rat, I-173
Hemodynamics
Antiadrenergic therapy: special aspects in hypertension in the elderly, II-226
Antihypertensive effect of transplant of rat kidney or its unclipping. Hemodynamic effects and control mechanisms, II-200
Possible mechanism of prostaglandin-induced renal vasoconstriction in the rat, II-81
Hemodynamics, renal
Sequential renal hemodynamics in experimental benign and malignant hypertension, I-63
Heredity
Abnormal erythrocyte cation transport in primary hypertension. Clinical and experimental studies, I-179
Hind limb perfusion pressure
Preferential noradrenergic innervation of alpha-adrenergic receptors in vascular smooth muscle, I-112
Homeostasis
Long-term converting enzyme inhibition and sympathetic nerve function in hypertensive humans, II-216
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Humoral inhibitor
Demonstration of a humoral inhibitor of the Na^+-K^+ pump in some models of experimental hypertension, II-96
18-Hydroxycorticosterone
Response of aldosterone and 18-hydroxycorticosterone to angiotensin II in normal subjects and patients with essential hypertension, Conn's syndrome, and nontumorous hyperaldosteronism, I-87
Hyperaldosteronism, nontumorous
Response of aldosterone and 18-hydroxycorticosterone to angiotensin II in normal subjects and patients with essential hypertension, Conn's syndrome, and nontumorous hyperaldosteronism, I-87
Hyperepinephrinemia, unconjugated
Unconjugated hyperepinephrinemia: a hallmark of hypertension imitating pheochromocytoma? II-129

Hyperplasia
Vascular structural changes in DOC-salt hypertensive rats, II-183
Hyperplasia, juxtaglomerular
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Hyperreninemia
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Hypertension, benign
Sequential renal hemodynamics in experimental benign and malignant hypertension, I-63
Hypertension, borderline
Early effects of mild hypertension on the heart. A longitudinal study, II-187
Treatment of hypertension in 1981, II-230
Hypertension control program
Four-year experience in a hypertension control program. Operations aspects, II-245
Hypertension, DOC-salt
Aortic endothelial and subendothelial cells in experimental hypertension and aging, I-148
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14
Vascular structural changes in DOC-salt hypertensive rats, II-183
Hypertension, essential
Abnormal erythrocyte cation transport in primary hypertension. Clinical and experimental studies, I-179
Antiadrenergic therapy: special aspects in hypertension in the elderly, II-226
Antihypertensive effect of orally administered glandular kallikrein in essential hypertension. Results of a double blind study, I-18
Anxiety, anger, and neurogenic tone at rest and in stress in patients with primary hypertension, II-119
Aortic responses to vanadate: independence from (Na, K)-ATPase and comparison of Dahl salt-sensitive and salt-resistant rats, I-168
Baroreceptor reflex sensitivity index derived from phase 4 of the Valsalva maneuver, II-134
Blood pressure and prolactin: effects of guanfacine. Three-year follow-up study, II-222
Effect of salt loading on the cardiovascular response to stress in adolescents, II-195
Enhanced alpha-adrenoreceptor-medicated vasoconstriction in essential hypertension, I-119
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Response of aldosterone and 18-hydroxycorticosterone to angiotensin II in normal subjects and patients with essential hypertension, Conn's syndrome, and nontumorous hyperaldosteronism, I-87
Sympathetic nervous system response to graded exercise: effect of beta-blockade, II-155
Vasopressin elevation in essential hypertension and increased responsiveness to sodium intake, I-93
Hypertension, essential low-renin
DOCA test for aldosteronism: its usefulness and implications, II-102
Hypertension, genetic
Abnormal baroreflex control of heart rate in prehypertensive and hypertensive Dahl genetically salt-sensitive rats, I-135
Hypertension, glucocorticoid
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142
Hypertension, malignant
Malignant hypertension: a syndrome associated with low plasma kininogen and kinin potentiating factor, II-46
Sequential renal hemodynamics in experimental benign and malignant hypertension, I-63
Hypertension, methylprednisolone
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142
Hypertension, neurogenic
Neurogenic hypertension produced by lesions of the nucleus tractus solitarii alone or with sinoaortic denervation in the dog, II-112
Hypertension, one-kidney, one clip
Antihypertensive effect of transplant of rat kidney or its unclipping. Hemodynamic effects and control mechanisms, II-200
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Demonstration of a humoral inhibitor of the Na^+-K^+ pump in some models of experimental hypertension, II-96
Hypertension, renovascular
Demonstration of a humoral inhibitor of the Na^+-K^+ pump in some models of experimental hypertension, II-96
Initial mechanisms in hypertension after bilateral renal ischemia in the rat, II-205
Left ventricular hypertrophy in rats with renovascular hypertension. Alterations in cardiac function and adrenergic responses, II-171
Mechanoelastic properties of the aorta in chronically hypertensive conscious rats, II-177
Hypertension research
Overview of hypertension research, II-1
Hypertension reversal
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Hypertension, sodium chloride
Potassium feeding reduces hyperactive central nervous system pressor responses in Dahl salt-sensitive rats, I-128
Hypertrophy
Left ventricular hypertrophy in rats with renovascular hypertension. Alterations in cardiac function and adrenergic responses, II-171
Hypokalemia
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Hypophysis
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14
Hypotension
Baroreceptor resetting during pressure recovery from hypotension, II-147
Hypotension, propranolol-induced
Renin-angiotensin and adrenergic mechanisms in control of blood pressure in fowl, I-41
Hypothalamus
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14

I

Immunofluorescence
Localization, purification, and biological activity of a new aldosterone-stimulating factor, I-81
Intima injury
Aortic endothelial and subendothelial cells in experimental hypertension and aging, I-148
Ischemia, bilateral renal
Initial mechanisms in hypertension after bilateral renal ischemia in the rat, II-205
Isoproterenol
Control of renin release in isolated rat glomeruli, II-30
Left ventricular hypertrophy in rats with renovascular hypertension. Alterations in cardiac function and adrenergic responses, II-171
Isorenin
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14

K

Kallikrein
Active and inactive kallikrein released by kidney slices from normotensive and hypertensive rats, II-35

Antihypertensive effect of orally administered glandular kallikrein in essential hypertension. Results of a double blind study, I-18
Initial mechanisms in hypertension after bilateral renal ischemia in the rat, II-205
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59
Kallikrein inhibitors decrease short-circuit current by inhibiting sodium uptake, II-92
Malignant hypertension: a syndrome associated with low plasma kininogen and kinin potentiating factor, II-46
Mechanism of acid-activation of renin: role of kallikrein in renin activation, I-22
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Urinary kallikrein and plasma renin activity in normal human pregnancy, II-55

Kallikrein, rat urinary
Direct action of kallikrein and other proteases on the renin-angiotensin system, I-13

KetoACE
Inhibition of human converting enzyme in vitro by a novel tripeptide analog, I-50

Kidney
Active and inactive kallikrein released by kidney slices from normotensive and hypertensive rats, II-35
Antihypertensive effect of transplant of rat kidney or its unclipping. Hemodynamic effects and control mechanisms, II-200
Detection and isolation of inactive, large molecular weight renin in human kidney and plasma, I-30
The glomerular filtration barrier in the spontaneously hypertensive rat, I-154
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59
Release of activatable kallikrein by isolated rat kidneys, II-39
Vasopressin elevation in essential hypertension and increased responsiveness to sodium intake, I-93

Kidney transplant
Antihypertensive effect of transplant of rat kidney or its unclipping. Hemodynamic effects and control mechanisms, II-200

Kinin
Active and inactive kallikrein released by kidney slices from normotensive and hypertensive rats, II-35
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59
Kinin-forming enzyme of rat cardiac tissue. Subcellular distribution and biochemical properties, II-42
Possible role of kinins in circulatory homeostasis. State of the art review, I-4

Kinin-potentiating factor
Malignant hypertension: a syndrome associated with low plasma kininogen and kinin potentiating factor, II-46

Kininase
Possible role of kinins in circulatory homeostasis. State of the art review, I-4

Kinogen
Malignant hypertension: a syndrome associated with low plasma kininogen and kinin potentiating factor, II-46

Kinogenase activity
Active and inactive kallikrein released by kidney slices from normotensive and hypertensive rats, II-35
Effect of renal nerve stimulation on urine and tissue kininogenase activity in cats, II-50
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59

L

Left ventricle
Early effects of mild hypertension on the heart. A longitudinal study, II-187
Left ventricular hypertrophy in rats with renovascular hypertension. Alterations in cardiac function and adrenergic responses, II-171

Lesions
Neurogenic hypertension produced by lesions of the nucleus tractus solitarii alone or with sinoaortic denervation in the dog, II-112

Lysosomal protease
Kinin-forming enzyme of rat cardiac tissue. Subcellular distribution and biochemical properties, II-42

M

Maturation
Importance of plasma angiotensin concentrations in a comparative study of responses to angiotensin in the maturing newborn lamb, II-18

Medellin, Chile, hypertension control program
Four-year experience in a hypertension control program. Operations aspects, II-245

Membrane permeability
What makes the pressure go up? A hypothesis, II-160

Mesenteric vascular circuit
Angiotensin I, II, and III tachyphylaxis in the mesenteric vascular circuit of the rat, II-166

Methyldopa
Antiadrenergic therapy: special aspects in hypertension in the elderly, II-226

Methylprednisolone
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142

Microcirculation, renal
Possible mechanism of prostaglandin-induced renal vasoconstriction in the rat, II-81

Molecular weight, renin
Detection and isolation of inactive, large molecular weight renin in human kidney and plasma, I-30

Monoclonal antibodies
Monoclonal antibodies binding renal renin, II-4

N

Naloxone
Opiate analogs, substance P, and baroreceptor reflexes in the rabbit, I-142

Neurogenic tone
Anxiety, anger, and neurogenic tone at rest and in stress in patients with primary hypertension, II-119

Neurovascular control
What makes the pressure go up? A hypothesis, II-160

Noradrenergic innervation
Preferential noradrenergic innervation of alpha-adrenergic receptors in vascular smooth muscle, I-112

Noradrenergic nerve terminals
Rat (Ile^5) but not bovine (Val^5) angiotensin raises plasma norepinephrine in rats, II-25

Norepinephrine
Anxiety, anger, and neurogenic tone at rest and in stress in patients with primary hypertension, II-119
Autonomic dysfunctions in human hypertension, II-124
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Effects of tonin, an angiotensin II-forming enzyme, on vascular smooth muscle in the normal rabbit, I-101
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107
Rat (Ile^5) but not bovine (Val^5) angiotensin raises plasma norepinephrine in rats, II-25

Nucleus tractus solitarii
Neurogenic hypertension produced by lesions of the nucleus tractus solitarii alone or with sinoaortic denervation in the dog, II-112

O

Obesity
Blood pressure levels in urban school-age population in Chile, II-238
Okamoto rat
Renal Na^+-K^+-ATPase in Okamoto and Dahl hypertensive rats, II-86
Oligopeptides
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Ontogeny
Importance of plasma angiotensin concentrations in a comparative study of responses to angiotensin in the maturing newborn lamb, II-18
Opiates
Opiate analogs, substance P, and baroreceptor reflexes in the rabbit, I-142
Ouabain-like humoral factor
Demonstration of a humoral inhibitor of the Na^+-K^+ pump in some models of experimental hypertension, II-96

P

Paramedical treatment
Four-year experience in a hypertension control program. Operations aspects, II-245
Parasympathetic system
Autonomic dysfunctions in human hypertension, II-124
Parathyroid hormone
Disturbances of calcium metabolism in the spontaneously hypertensive rat, I-162
Pepsin
Direct action of kallikrein and other proteases on the renin-angiotensin system, I-13
Peptidyl dipeptidase
Inhibition of human converting enzyme in vitro by a novel tripeptide analog, I-50
Peripheral resistance
Enhanced alpha-adrenoreceptor-medicated vasoconstriction in essential hypertension, I-119
Phenylephrine
Baroreceptor reflex sensitivity index derived from phase 4 of the Valsalva maneuver, II-134
Phosphatidylcholine
Alkyl ether analogs of phosphatidylcholine are orally active in hypertensive rabbits, I-107
Pineal gland
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14
Pithed rat
Rat (Ile^5) but not bovine (Val^5) angiotensin raises plasma norepinephrine in rats, II-25
Pituitary gland
Localization, purification, and biological activity of a new aldosterone-stimulating factor, I-81
Pituitary insufficiency
Regulation of aldosterone biosynthesis during sodium deficiency. Evidence for an essential role of the pituitary gland, I-74
Plasma
Mechanism of acid-activation of renin: role of kallikrein in renin activation, I-22
Plasma arginine vasopressin
Vasopressin elevation in essential hypertension and increased responsiveness to sodium intake, I-93
Plasma renin activity
Catecholamines and serotonin in the area postrema of normal and sodium-depleted dogs, II-151
Pre- and postjunctional inhibition of vascular sympathetic function by captopril in SHR. Implication of vascular angiotensin II in hypertension and antihypertensive actions of captopril, I-54
Renal Na^+-K^+-ATPase in Okamoto and Dahl hypertensive rats, II-86
Urinary kallikrein and plasma renin activity in normal human pregnancy, II-55
Plasmin
Direct action of kallikrein and other proteases on the renin-angiotensin system, I-13
Platelet factor
Alkyl ether analogs of phosphatidylcholine are orally active in hypertensive rabbits, I-107
Polyene antibiotics
Kallikrein inhibitors decrease short-circuit current by inhibiting sodium uptake, II-92
Population Study
Blood pressure levels in urban school-age population in Chile, II-238
Potassium
Aortic responses to vanadate: independence from (Na, K)-ATPase and comparison of Dahl salt-sensitive and salt-resistant rats, I-168
DOCA test for aldosteronism: its usefulness and implications, II-102
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59
Potassium feeding reduces hyperactive central nervous system pressor responses in Dahl salt-sensitive rats, I-128
Potassium excretion
Urinary kallikrein and plasma renin activity in normal human pregnancy, II-55
Prazosin
Preferential noradrenergic innervation of alpha-adrenergic receptors in vascular smooth muscle, I-112
Pregnancy
Urinary kallikrein and plasma renin activity in normal human pregnancy, II-55
Prejunctional inhibition
Pre- and postjunctional inhibition of vascular sympathetic function by captopril in SHR. Implication of vascular angiotensin II in hypertension and antihypertensive actions of captopril, I-54
Prekallikrein activation
Active and inactive kallikrein released by kidney slices from normotensive and hypertensive rats, II-35
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59
Pressor response
Abnormal baroreflex control of heart rate in prehypertensive and hypertensive Dahl genetically salt-sensitive rats, I-135
Baroreceptor reflex sensitivity index derived from phase 4 of the Valsalva maneuver, II-134
Potassium feeding reduces hyperactive central nervous system pressor responses in Dahl salt-sensitive rats, I-128
Pressure overload
Left ventricular hypertrophy in rats with renovascular hypertension. Alterations in cardiac function and adrenergic responses, II-171
Prokallikrein
Release of activatable kallikrein by isolated rat kidneys, II-39
Prolactin
Blood pressure and prolactin: effects of guanfacine. Three-year follow-up study, II-222
Propranolol
Control of renin release in isolated rat glomeruli, II-30
Renin-angiotensin and adrenergic mechanisms in control of blood pressure in fowl, I-41
Prorenin
Detection and isolation of inactive, large molecular weight renin in human kidney and plasma, I-30
Prostacyclin
Prostaglandins, antidiuretic hormone, and renin angiotensin system, II-65
Prostaglandin
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Initial mechanisms in hypertension after bilateral renal ischemia in the rat, II-205
Possible mechanism of prostaglandin-induced renal vasoconstriction in the rat, II-81
Possible role of kinins in circulatory homeostasis. State of the art review, I-4

Prostaglandins, antidiuretic hormone, and renin angiotensin system, II-65
Pseudopheochromocytoma
Unconjugated hyperepinephrinemia: a hallmark of hypertension imitating pheochromocytoma? II-129
Psychological profile
Anxiety, anger, and neurogenic tone at rest and in stress in patients with primary hypertension, II-119
Public health
Four-year experience in a hypertension control program. Operations aspects, II-245

R

Rats, stroke-prone
Sympathetic nerves protect against stroke in stroke-prone hypertensive rats. A preliminary report, I-124
Rauwolscine
Preferential noradrenergic innervation of alpha-adrenergic receptors in vascular smooth muscle, I-112
Renal activatable kallikrein
Release of activatable kallikrein by isolated rat kidneys, II-39
Renal blood flow
Effect of renal nerve stimulation on urine and tissue kininogenase activity in cats, II-50
Renal enzymes
Active and inactive kallikrein released by kidney slices from normotensive and hypertensive rats, II-35
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59
Renal medulla
Alkyl ether analogs of phosphatidylcholine are orally active in hypertensive rabbits, I-107
Renal papilla
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Renal tissue kininogenases
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Renal venous effluent
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Renin
DOCA test for aldosteronism: its usefulness and implications, II-102
Renin-angiotensin-aldosterone system
DOCA test for aldosteronism: its usefulness and implications, II-102
Importance of plasma angiotensin concentrations in a comparative study of responses to angiotensin in the maturing newborn lamb, II-18
Initial mechanisms in hypertension after bilateral renal ischemia in the rat, II-205
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107
Possible mechanism of prostaglandin-induced renal vasoconstriction in the rat, II-81
Pre- and postjunctional inhibition of vascular sympathetic function by captopril in SHR. Implication of vascular angiotensin II in hypertension and antihypertensive actions of captopril, I-54
Prostaglandins, antidiuretic hormone, and renin angiotensin system, II-65
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142
Sequential renal hemodynamics in experimental benign and malignant hypertension, I-63
Renin antibody
Monoclonal antibodies binding renal renin, II-4
Renin, inactive
Detection and isolation of inactive, large molecular weight renin in human kidney and plasma, I-30
Direct action of kallikrein and other proteases on the renin-angiotensin system, I-13
Mechanism of acid-activation of renin: role of kallikrein in renin activation, I-22
Renin-like activity
Renin-like activity in the rat brain during the development of DOC-salt hypertension, II-14
Renin release
Control of renin release in isolated rat glomeruli, II-30
Renin, vascular
Pre- and postjunctional inhibition of vascular sympathetic function by captopril in SHR. Implication of vascular angiotensin II in hypertension and antihypertensive actions of captopril, I-54
Renomedullary interstitial cells
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Reserpine
Enhancement of blood pressure response to dopamine by angiotensin II, II-138
Rezzio, Hector Croxatto
Dr. Héctor Croxatto Rezzio, researcher and scholar. Honorary President of the IV Scientific Meeting of the InterAmerican Society of Hypertension, II-2
Ribonucleic acid (RNA)
Vascular structural changes in DOC-salt hypertensive rats, II-183
Risk factors
Treatment of hypertension in 1981, II-230
Rubidium uptake
Demonstration of a humoral inhibitor of the Na^+-K^+ pump in some models of experimental hypertension, II-96

S

Salt loading
Effect of salt loading on the cardiovascular response to stress in adolescents, II-195
Sar 1-Ileu 8-AII
Angiotensin I, II, and III tachyphylaxis in the mesenteric vascular circuit of the rat, II-166
Saralasin
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107
Possible mechanism of prostaglandin-induced renal vasoconstriction in the rat, II-81
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142
Serotonin
Catecholamines and serotonin in the area postrema of normal and sodium-depleted dogs, II-151
Sinoaortic denervation
Neurogenic hypertension produced by lesions of the nucleus tractus solitarii alone or with sinoaortic denervation in the dog, II-112
Smooth muscle
Angiotensin I, II, and III tachyphylaxis in the mesenteric vascular circuit of the rat, II-166
Vascular structural changes in DOC-salt hypertensive rats, II-183
What makes the pressure go up? A hypothesis, II-160
Smooth muscle, vascular
Aortic responses to vanadate: independence from (Na, K)-ATPase and comparison of Dahl salt-sensitive and salt-resistant rats, I-168
Effects of tonin, an angiotensin II-forming enzyme, on vascular smooth muscle in the normal rabbit, I-101
Preferential noradrenergic innervation of alpha-adrenergic receptors in vascular smooth muscle, I-112
Sodium
Control of renin release in isolated rat glomeruli, II-30
DOCA test for aldosteronism: its usefulness and implications, II-102
Kallikrein and prekallikrein on the basolateral membrane of rat kidney tubules, II-59

Sodium excretion
Effect of prolonged dietary administration of vanadate on blood pressure in the rat, I-173
Urinary kallikrein and plasma renin activity in normal human pregnancy, II-55
Sodium intake
Vasopressin elevation in essential hypertension and increased responsiveness to sodium intake, I-93
Sodium nitroprusside
Enhanced alpha-adrenoreceptor-medicated vasoconstriction in essential hypertension, I-119
Sodium-potassium ATPase
Aortic responses to vanadate: independence from (Na, K)-ATPase and comparison of Dahl salt-sensitive and salt-resistant rats, I-168
Sodium-potassium pump
Demonstration of a humoral inhibitor of the Na^+-K^+ pump in some models of experimental hypertension, II-96
Sodium restriction
Catecholamines and serotonin in the area postrema of normal and sodium-depleted dogs, II-151
Long-term converting enzyme inhibition and sympathetic nerve function in hypertensive humans, II-216
Regulation of aldosterone biosynthesis during sodium deficiency. Evidence for an essential role of the pituitary gland, I-74
Renal Na^+-K^+-ATPase in Okamoto and Dahl hypertensive rats, II-86
Sodium transport
Abnormal erythrocyte cation transport in primary hypertension. Clinical and experimental studies, I-179
Kallikrein inhibitors decrease short-circuit current by inhibiting sodium uptake, II-92
Sodium uptake
Kallikrein inhibitors decrease short-circuit current by inhibiting sodium uptake, II-92
Spontaneously hypertensive rat (SHR)
Antihypertensive effect of transplant of rat kidney or its unclipping. Hemodynamic effects and control mechanisms, II-200
Aortic endothelial and subendothelial cells in experimental hypertension and aging, I-148
Disturbances of calcium metabolism in the spontaneously hypertensive rat, I-162
Effect of intracerebroventricular captopril on vasopressin and blood pressure in spontaneously hypertensive rats, II-71
Effects of captopril on vascular reactivity of SHR in vivo and in vitro, II-211
The glomerular filtration barrier in the spontaneously hypertensive rat, I-154
Pre- and postjunctional inhibition of vascular sympathetic function by captopril in SHR. Implication of vascular angiotensin II in hypertension and antihypertensive actions of captopril, I-54
Sympathetic nerves protect against stroke in stroke-prone hypertensive rats. A preliminary report, I-124
Stepped care
Profile of hypertensives as a determinant of long-term antihypertensive medication needs, II-242
Stress
Anxiety, anger, and neurogenic tone at rest and in stress in patients with primary hypertension, II-119
Effect of salt loading on the cardiovascular response to stress in adolescents, II-195
Mechanoelastic properties of the aorta in chronically hypertensive conscious rats, II-177
Stroke
Sympathetic nerves protect against stroke in stroke-prone hypertensive rats. A preliminary report, I-124
Subcellular fractionation
Kinin-forming enzyme of rat cardiac tissue. Subcellular distribution and biochemical properties, II-42
Substance P
Opiate analogs, substance P, and baroreceptor reflexes in the rabbit, I-142
Sympathetic nervous system
Autonomic dysfunctions in human hypertension, II-124
Effect of renal nerve stimulation on urine and tissue kininogenase activity in cats, II-50
Long-term converting enzyme inhibition and sympathetic nerve function in hypertensive humans, II-216
Methylprednisolone-induced hypertension. Role for the autonomic and renin angiotensin systems, II-107
Neurogenic hypertension produced by lesions of the nucleus tractus solitarii alone or with sinoaortic denervation in the dog, II-112
Pre- and postjunctional inhibition of vascular sympathetic function by captopril in SHR. Implication of vascular angiotensin II in hypertension and antihypertensive actions of captopril, I-54
Sympathetic nerves protect against stroke in stroke-prone hypertensive rats. A preliminary report, I-124
Sympathetic nervous system response to graded exercise: effect of beta-blockade, II-155
Systolic hypertension
Blood pressure levels in urban school-age population in Chile, II-238

T

Tachyphylaxis
Angiotensin I, II, and III tachyphylaxis in the mesenteric vascular circuit of the rat, II-166
Therapy
Antiadrenergic therapy: special aspects in hypertension in the elderly, II-226
Blood pressure and prolactin: effects of guanfacine. Three-year follow-up study, II-222
Profile of hypertensives as a determinant of long-term antihypertensive medication needs, II-242
Treatment of hypertension in 1981, II-230
Third ventricle
Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension, II-142
Thromboxane
Prostaglandins, antidiuretic hormone, and renin angiotensin system, II-65
Thymidine, tritiated
Vascular structural changes in DOC-salt hypertensive rats, II-183
Toad bladder
Kallikrein inhibitors decrease short-circuit current by inhibiting sodium uptake, II-92
Tonin
Effects of tonin, an angiotensin II-forming enzyme, on vascular smooth muscle in the normal rabbit, I-101
Effects of tonin on the adrenal secretion in the rat, II-9
Trasylol
Direct action of kallikrein and other proteases on the renin-angiotensin system, I-13
Trials, controlled clinical
Four-year experience in a hypertension control program. Operations aspects, II-245
Treatment of hypertension in 1981, II-230
Trypsin activatable kallikrein
Release of activatable kallikrein by isolated rat kidneys, II-39
Trypsin, cathepsin D
Direct action of kallikrein and other proteases on the renin-angiotensin system, I-13

U

Unclipping
Antihypertensive effect of transplant of rat kidney or its unclipping. Hemodynamic effects and control mechanisms, II-200
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Urine output
Effect of prolonged dietary administration of vanadate on blood pressure in the rat, I-173
Urine volume
Urinary kallikrein and plasma renin activity in normal human pregnancy, II-55

V

Vagotomy
Enhancement of blood pressure response to dopamine by angiotensin II, II-138
Valsalva maneuver
Baroreceptor reflex sensitivity index derived from phase 4 of the Valsalva maneuver, II-134
Vanadate
Aortic responses to vanadate: independence from (Na, K)-ATPase and comparison of Dahl salt-sensitive and salt-resistant rats, I-168
Effect of prolonged dietary administration of vanadate on blood pressure in the rat, I-173
Vanadium
Effect of prolonged dietary administration of vanadate on blood pressure in the rat, I-173
Vascular cells
Aortic endothelial and subendothelial cells in experimental hypertension and aging, I-148
Aortic responses to vanadate: independence from (Na, K)-ATPase and comparison of Dahl salt-sensitive and salt-resistant rats, I-168
Vascular reactivity
Bartter's syndrome: a disorder of vascular reactivity. Arthur C. Corcoran Memorial Lecture, I-69
Effects of captopril on vascular reactivity of SHR in vivo and in vitro, II-211
Effects of tonin, an angiotensin II-forming enzyme, on vascular smooth muscle in the normal rabbit, I-101
What makes the pressure go up? A hypothesis, II-160
Vascular resistance
The glomerular filtration barrier in the spontaneously hypertensive rat, I-154
Vascular structural changes
Vascular structural changes in DOC-salt hypertensive rats, II-183
Vasoconstriction
Effects of captopril on vascular reactivity of SHR in vivo and in vitro, II-211
Effects of tonin, an angiotensin II-forming enzyme, on vascular smooth muscle in the normal rabbit, I-101
Enhanced alpha-adrenoreceptor-medicated vasoconstriction in essential hypertension, I-119
Possible mechanism of prostaglandin-induced renal vasoconstriction in the rat, II-81
Vasopressin elevation in essential hypertension and increased responsiveness to sodium intake, I-93
Vasodilation
Alkyl ether analogs of phosphatidylcholine are orally active in hypertensive rabbits, I-107
Blood pressure and prolactin: effects of guanfacine. Three-year follow-up study, II-222
Effects of captopril on vascular reactivity of SHR in vivo and in vitro, II-211
Possible role of kinins in circulatory homeostasis. State of the art review, I-4
Vasopressin
Effect of intracerebroventricular captopril on vasopressin and blood pressure in spontaneously hypertensive rats, II-71
Vasopressin elevation in essential hypertension and increased responsiveness to sodium intake, I-93
Volume density
Degranulation of renomedullary interstitial cells during reversal of hypertension, II-75
Volume expansion
Demonstration of a humoral inhibitor of the Na^+-K^+ pump in some models of experimental hypertension, II-96
Renal Na^+-K^+-ATPase in Okamoto and Dahl hypertensive rats, II-86
Volume load
Left ventricular hypertrophy in rats with renovascular hypertension. Alterations in cardiac function and adrenergic responses, II-171

W

Wall thickness
Mechanoelastic properties of the aorta in chronically hypertensive conscious rats, II-177
Water-electrolyte balance
Initial mechanisms in hypertension after bilateral renal ischemia in the rat, II-205
Water intake
Effect of prolonged dietary administration of vanadate on blood pressure in the rat, I-173

Z

Zymogen
Mechanism of acid-activation of renin: role of kallikrein in renin activation, I-22